


WORK


WORKBENCHES START SERIES




- 1. Perforated side panel
- 2. Rear panel
- 3. Adjustable legs
- 4. Additional half-shelf

- 5. Cabinet with door
- 6. Cabinet with 4 drawers
- 7. Multiplex worktop


The Work series workbenches are **flexible solutions** and easily customisable according to needs. They can be set up with a **top** in 30 mm **beech** multiplex wood or with a 3 mm steel worktop and are available in **3 widths**: 1000, 1500 or 2000 mm. The Work workbenches can have **fixed steel legs** and **lower shelf** as standard, or a **lower half shelf** as standard and **height-adjustable legs** set up for installing wheels. The steel structure can accommodate cabinets with doors or drawers, shelves or half shelves, perforated panels and ledges.




**SIMPLE-EXTENSION
DRAWERS**




**SOLID DRAWER
BOTTOM**



**DIVIDING
MATERIAL**



**KEY-OPERATED
CLOSURE**




**HEIGHT-ADJUSTABLE
LEGS**

ALTERNATIVE CONFIGURATIONS



Tools excluded



ART.	W mm	D mm	H mm	 KG	RAL
WORK2043	2307	750	1977/2352	1000	7035+7016

Made up of:

qty.	description	qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop	2	Kit with 3 perforated panels/shelves with 2 box-stop edges
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf	1	Double lamp
1	Cabinet W=500 mm with 3 drawers H=150 mm	2	Angled 2-space spray-can holder
1	Non-perforated half-shelf W=1760 mm	1	Roll holder kit with roll Ø=240 mm
2	Perforated side panel	7	Unipok tool hook - 30-piece pack
1	Bin with 30 l capacity	1	Support for 4-socket power strip
2	Angled 2-space silicone holder	1	Schuko 4-socket power strip
1	A4 document-holder pocket	1	Wieland Schuko/FR connection cable
1	Kit with 3 dual-slotted uprights	1	Large reversible shelf
1	Kit with 3 inclined supports with 2 tracks		



LOAD CAPACITY RAL 7035 + RAL 7016



1000 kg



height-adjustable

— Multiplex worktop thickness 30 mm



Supplied unassembled



Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
WORK1501	1500	750	732/1107	7035+7016
WORK1502	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm

CONFIGURE



ART.	W mm	D mm	H mm	RAL
WORK1503	1500	750	732/1107	7035+7016
WORK1504	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm

CONFIGURE




ART.	W mm	D mm	H mm	RAL
WORK1507	1500	750	732/1107	7035+7016
WORK1508	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Support for intermediate half-shelf

CONFIGURE

CONFIGURATION EXAMPLES



Tools excluded



ART.	W mm	D mm	H mm	RAL
WORK1528	1500	750	1675/2050	7035+7016
WORK1534	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



Tools excluded



ART.	W mm	D mm	H mm	RAL
WORK1529	1500	750	1675/2050	7035+7016
WORK1535	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



Tools excluded



ART.	W mm	D mm	H mm	RAL
WORK1530	1500	750	1675/2050	7035+7016
WORK1536	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Rear panel
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=760 mm
1	Support for intermediate half-shelf
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



1000 kg

height-adjustable

Multiplex worktop thickness 30 mm

Supplied unassembled

Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
WORK1505	1500	750	732/1107	7035+7016
WORK1506	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm

[CONFIGURE](#)



ART.	W mm	D mm	H mm	RAL
WORK1511	1500	750	732/1107	7035+7016
WORK1512	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-slotted half-shelf W=1260 mm

[CONFIGURE](#)




ART.	W mm	D mm	H mm	RAL
WORK1509	1500	750	732/1107	7035+7016
WORK1510	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=629 mm with 4 drawers H=105 mm
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Non-slotted half-shelf W=1260 mm

[CONFIGURE](#)

CONFIGURATION EXAMPLES



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
WORK1531	1500	750	1675/2050	7035+7016
WORK1537	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
WORK1532	1500	750	1675/2050	7035+7016
WORK1538	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
WORK1533	1500	750	1675/2050	7035+7016
WORK1539	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=629 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY RAL 7035 + RAL 7016 RAL 5012



1000 kg



height-adjustable

— Multiplex worktop thickness 30 mm



Supplied unassembled



Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
WORK2001	2000	750	732/1107	7035+7016

WORK2002	2000	750	732/1107	5012
----------	------	-----	----------	------

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm

CONFIGURE



ART.	W mm	D mm	H mm	RAL
WORK2003	2000	750	732/1107	7035+7016

WORK2004	2000	750	732/1107	5012
----------	------	-----	----------	------

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm

CONFIGURE



ART.	W mm	D mm	H mm	RAL
WORK2005	2000	750	732/1107	7035+7016

WORK2006	2000	750	732/1107	5012
----------	------	-----	----------	------


Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Non-perforated half-shelf W=1760 mm

CONFIGURE



CONFIGURATION EXAMPLES



Tools excluded



[CONFIGURE](#)



Tools excluded



[CONFIGURE](#)



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
WORK2030	2000	750	1675/2050	7035+7016
WORK2036	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1

ART.	W mm	D mm	H mm	RAL
WORK2031	2000	750	1675/2050	7035+7016
WORK2037	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1

ART.	W mm	D mm	H mm	RAL
WORK2032	2000	750	1675/2050	7035+7016
WORK2038	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



1000 kg



height-adjustable

— Multiplex worktop thickness 30 mm



Supplied unassembled



Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
WORK2007	2000	750	732/1107	7035+7016
WORK2008	2000	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Bottom panel for cabinet W=500 mm

CONFIGURE



ART.	W mm	D mm	H mm	RAL
WORK2011	2000	750	732/1107	7035+7016
WORK2012	2000	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-perforated half-shelf W=1760 mm

CONFIGURE



ART.	W mm	D mm	H mm	RAL
WORK2009	2000	750	732/1107	7035+7016
WORK2010	2000	750	732/1107	5012


Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Non-perforated half-shelf W=1760 mm

CONFIGURE



CONFIGURATION EXAMPLES



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL
WORK2033	2000	750	1675/2050	7035+7016
WORK2039	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Rear panel
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1

ART.	W mm	D mm	H mm	RAL
WORK2034	2000	750	1675/2050	7035+7016
WORK2040	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1

ART.	W mm	D mm	H mm	RAL
WORK2035	2000	750	1675/2050	7035+7016
WORK2041	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012

WORK


COMPONENTS

W ➔ 1000 - 1500 - 2000 mm

 1000 kg

 height-adjustable

 Multiplex worktop thickness 30 mm

 Supplied unassembled

 Leg hole pitch 25 mm

 steel worktop thickness 3 mm



3D

3D

3D

WORK WORKBENCH WITH STEEL WORKTOP

ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
FBG01S1000R00PD	1031	704	737/1112	Steel	2,5	7035+7016	
FBG01S1000R0004	1031	704	737/1112	Steel	2,5	5012	
FBG01S1500R00PD	1507	704	737/1112	Steel	2,5	7035+7016	
FBG01S1500R0004	1507	704	737/1112	Steel	2,5	5012	
FBG01S2000R00PD	2007	704	737/1112	Steel	2,5	7035+7016	
FBG01S2000R0004	2007	704	737/1112	Steel	2,5	5012	




3D

3D

3D

WORK WORKBENCH WITH WOODEN WORKTOP

ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
FBG02S1000R00PD	1024	750	732/1107	Multiplex	30	7035+7016	
FBG02S1000R0004	1024	750	732/1107	Multiplex	30	5012	
FBG02S1500R00PD	1500	750	732/1107	Multiplex	30	7035+7016	
FBG02S1500R0004	1500	750	732/1107	Multiplex	30	5012	
FBG02S2000R00PD	2000	750	732/1107	Multiplex	30	7035+7016	
FBG02S2000R0004	2000	750	732/1107	Multiplex	30	5012	



UNASSEMBLED WORKBENCH PACKAGE

KIT WITH WHEELS

Suitable only for Work workbenches



ART.	Ø mm	 kg	H mm	material			
FKRU1252101	125	300	155	Non-marking synthetic rubber	2	2	
FKRS1252101	125	750	155	Elastic rubber	2	2	



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



PAIR OF REINFORCEMENT CORNER ELEMENTS

ART.	W mm	D mm	H mm	RAL	
FBGKITS0008	145	39	145	7035	
FBGKITS0004	145	39	145	5012	



Use one pair of corner elements for each leg if there is no drawer unit

WORK

COMPONENTS

W → 1000 - 1500 - 2000 mm

 1000 kg

 Multiplex worktop thickness 30 mm

 Supplied unassembled

 steel worktop thickness 3 mm



3D

3D

3D

WORK WORKBENCH WITH STEEL WORKTOP

ART.	W mm	D mm	H mm	worktop		RAL
				material	mm	
FBG01S1000F00PD	1031	704	887	Steel	2,5	7035+7016
FBG01S1000F0004	1031	704	887	Steel	2,5	5012
FBG01S1500F00PD	1507	704	887	Steel	2,5	7035+7016
FBG01S1500F0004	1507	704	887	Steel	2,5	5012
FBG01S2000F00PD	2007	704	887	Steel	2,5	7035+7016
FBG01S2000F0004	2007	704	887	Steel	2,5	5012

WORK WORKBENCH WITH WOODEN WORKTOP

ART.	W mm	D mm	H mm	worktop		RAL
				material	mm	
FBG02S1000F0008	1024	750	882	Multiplex	30	7035
FBG02S1000F0004	1024	750	882	Multiplex	30	5012
FBG02S1500F0008	1500	750	882	Multiplex	30	7035
FBG02S1500F0004	1500	750	882	Multiplex	30	5012
FBG02S2000F0008	2000	750	882	Multiplex	30	7035
FBG02S2000F0004	2000	750	882	Multiplex	30	5012



3D

3D

3D



UNASSEMBLED WORKBENCH PACKAGE

COVER FOR STEEL WORKTOP

ART.	W mm	D mm	H mm
FBG32100007	1024	702	27
FBG32150007	1500	702	27
FBG32200007	2000	702	27



COVER FOR MULTIPLEX WORKTOP

ART.	W mm	D mm	H mm
FBL22300007	1028	754	22
FBL22600007	1504	754	22
FBL22900007	2004	754	22
FBL23200007	3004	754	22



LOAD CAPACITY



THICKNESS



RAL 7035 + RAL 7016



RAL 5012



RAL 7035

1000



1500



CABINETS WITH DRAWERS

W → 500 mm

CABINET WITH 1 DRAWER



ART.	W mm	D mm	H mm	drawers			door		RAL
				no.	KG	h mm	no.	Entry H mm	
FBG03S50C0001PD	500	630	210	1	80	86%	150	-	7035+7016
FBG03S50C000104	500	630	210	1	80	86%	150	-	5012

CABINET WITH 3 DRAWERS



ART.	W mm	D mm	H mm	drawers			door		RAL
				no.	KG	h mm	no.	Entry H mm	
FBG03S50C0002PD	500	630	570	3	80	86%	150	-	7035+7016
FBG03S50C000204	500	630	570	3	80	86%	150	-	5012

CABINET WITH 4 DRAWERS



ART.	W mm	D mm	H mm	drawers			door		RAL
				no.	KG	h mm	no.	Entry H mm	
FBG03S50C0003PD	500	630	570	4	80	86%	105	-	7035+7016
FBG03S50C000304	500	630	570	4	80	86%	105	-	5012

CABINET WITH 1 DRAWER AND 1 DOOR



ART.	W mm	D mm	H mm	drawers			door		RAL	
				no.	KG	h mm	no.	Entry H mm		
FBG03S50C0004PD	500	630	570	1	80	86%	150	1	310	7035+7016
FBG03S50C000404	500	630	570	1	80	86%	150	1	310	5012

⚠ Without bottom panel

CABINET WITH 1 DOOR AND 1 SHELF



ART.	W mm	D mm	H mm	drawers			door		RAL	
				no.	KG	h mm	no.	Entry H mm		
FBG03S50C0005PD	500	612	570	-	-	-%	-	1	491	7035+7016
FBG03S50C000504	500	612	570	-	-	-%	-	1	491	5012

⚠ Without bottom panel

BOTTOM PANEL



BOTTOM PANEL FOR CABINETS W= 500 mm

ART.	W mm	D mm	H mm	RAL
FBG16S50V0V0008	494	572	4	7035
FBG16S50V0V0004	494	572	4	5012

To be used on cabinets with door when the half-shelf is present



BOTTOM PANEL FOR CABINETS W= 629 mm

ART.	W mm	D mm	H mm	RAL
FBG16S63V0V0008	623	572	4	7035
FBG16S63V0V0004	623	572	4	5012

To be used on cabinets with door when the half-shelf is present



CABINETS WITH DRAWERS

W 629 mm



CABINET WITH 3 DRAWERS

ART.	W mm	D mm	H mm	drawers				door		RAL
				no.			h mm	no.	Entry H mm	
FBG03S63C0002PD	629	630	570	3	80	86%	150	-	-	7035+7016
FBG03S63C000204	629	630	570	3	80	86%	150	-	-	5012



CABINET WITH 4 DRAWERS

ART.	W mm	D mm	H mm	drawers				door		RAL
				no.			h mm	no.	Entry H mm	
FBG03S63C0003PD	629	630	570	4	80	86%	105	-	-	7035+7016
FBG03S63C000304	629	630	570	4	80	86%	105	-	-	5012



CABINET WITH 1 DRAWER AND 1 DOOR

ART.	W mm	D mm	H mm	drawers				door		RAL
				no.			h mm	no.	Entry H mm	
FBG03S63C0004PD	629	630	570	1	80	86%	150	1	310	7035+7016
FBG03S63C000404	629	630	570	1	80	86%	150	1	310	5012

Without bottom panel



CABINET WITH 1 DOOR AND 1 SHELF

ART.	W mm	D mm	H mm	drawers				door		RAL
				no.			h mm	no.	Entry H mm	
FBG03S63C0005PD	629	612	570	-	-	-%	-	1	491	7035+7016
FBG03S63C000504	629	612	570	-	-	-%	-	1	491	5012

Without bottom panel



LOAD CAPACITY



EXTRACTION



RAL 7035+RAL 7016



RAL 5012



RAL 7035



REAR PANEL

ART.	W mm	H mm	suitable for workbench W mm	RAL	
FBG12S080000008	825	665	1024-1031	7035	
FBG12S080000004	825	665	1024-1031	5012	
FBG12S130000008	1325	665	1500-1507	7035	
FBG12S130000004	1325	665	1500-1507	5012	
FBG12S180000008	1825	665	2000-2007	7035	
FBG12S180000004	1825	665	2000-2007	5012	



PAIR OF SIDE FILLER STRIPS

For workbench W=1024-1031 mm with cabinet W=629 mm

ART.	W mm	D mm	H mm	RAL	
FBG14S130V00008	65	35	568	7035	
FBG14S130V00004	65	35	568	5012	



PERFORATED SIDE PANEL

ART.	W mm	D mm	H mm	Hole dim. mm	RAL	
FBG15S00V0V0008	610	75	669	10x10	7035	
FBG15S00V0V0004	610	75	669	10x10	5012	



ADDITIONAL NON-PERFORATED MIDDLE SHELF

ART.	W mm	D mm	H mm	KG	RAL	
FBG08S070600108	760	600	35	250	7035	
FBG08S070600104	760	600	35	250	5012	
FBG08S120600108	1260	600	35	250	7035	
FBG08S120600104	1260	600	35	250	5012	
FBG08S170600108	1760	600	35	200	7035	
FBG08S170600104	1760	600	35	200	5012	

WORK

COMPONENTS



ADDITIONAL NON-PERFORATED HALF-SHELF

ART.	W mm	D mm	H mm	KG	RAL	
FBG09S070300108	760	300	35	100	7035	
FBG09S070300104	760	300	35	100	5012	
FBG09S120300108	1260	300	35	100	7035	
FBG09S120300104	1260	300	35	100	5012	
FBG09S170300108	1760	300	35	100	7035	
FBG09S170300104	1760	300	35	100	5012	



SUPPORT ONLY FOR ADDITIONAL HALF-SHELF

ART.	W mm	D mm	H mm	RAL	
FBG13S605V00008	605	77	35	7035	
FBG13S605V00004	605	77	35	5012	

ART.	W mm	D mm	H mm	KG	RAL	
WORK2014	2007	704	737/1112	1000	7035+7016	



Made up of:

qty.	description
1	Unassembled adjustable workbench with 2,5 mm steel worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Bottom panel for cabinet W=500 mm
2	Perforated side panel



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012




RAL 7035




DIVIDING MATERIAL

W → 500 mm



ART.	Suitable for drawer H mm	No. of transversal dividers	
FBG18S50DV00199	105/150	3	



ART.	Suitable for drawer H mm	No. of transversal dividers	No. of longitudinal dividers	
FBG18S50DV00299	105/150	1	1	



ART.	Suitable for drawer H mm	components	
FBG18S50CD00103	105/150	4 x 100x50 mm Divider box	



ART.	Suitable for drawer H mm	components	
FBG18S50CD00203	105/150	3 x 100x50 mm Divider box 2 x 150x75 mm Divider box 1 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
MATSEP001	105/150	1 x FBG18S50CD00103 1 x FBG18S50CD00203 1 x FBG18S50DV00299	



ART.	Suitable for drawer H mm	components	
MATSEP002	105/150	1 x FBG18S50CD00103 2 x FBG18S50CD00203 1 x FBG18S50DV00299	



RUG FOR CHEST OF DRAWERS L=500 MM

ART.	material	
FBG18S50TP00107	Polyester	

DIVIDING MATERIAL

W → 629 mm



ART.	Suitable for drawer H mm	No. of transversal dividers	
FBG18S63DV00199	105/150	3	



ART.	Suitable for drawer H mm	No. of transversal dividers	No. of longitudinal dividers	
FBG18S63DV00299	105/150	1	1	



ART.	Suitable for drawer H mm	components	
FBG18S63CD00103	105/150	5 x 100x50 mm Divider box	



ART.	Suitable for drawer H mm	components	
FBG18S63CD00203	105/150	2 x 75x75 mm Divider box 2 x 150x75 mm Divider box 2 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
MATSEP003	105/150	1 x FBG18S63CD00103 1 x FBG18S63CD00203 1 x FBG18S63DV00299	



ART.	Suitable for drawer H mm	components	
MATSEP004	105/150	1 x FBG18S63CD00103 2 x FBG18S63CD00203 1 x FBG18S63DV00299	



RUG FOR CHEST OF DRAWERS L=629 MM

ART.	material	
FBG18S63TP00107	Polyester	

ALTERNATIVE CONFIGURATIONS



Tools excluded




ART.	W mm	D mm	H mm	KG	RAL	
WORK2042	2260	704	2098	1000	7035+7016	

Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 2,5 mm steel worktop	7	Unipok tool hook - 30-piece pack
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door	1	Roll holder kit with roll Ø=240 mm
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door	2	Angled 2-space spray-can holder
2	Perforated side panel	1	Large reversible shelf
1	Bin with 30 l capacity	1	Support for 4-socket power strip
1	Kit with 3 dual-slotted uprights	1	Schuko 4-socket power strip
1	Kit with 3 inclined supports with 2 tracks	1	Wieland Schuko/FR connection cable
2	Kit with 3 perforated panels/shelves with 2 box-stop edges	2	Bar mount for Picking Box bins size 1/2
1	Double lamp	2	Kit of 4 Picking Box Air bins size 1

ALTERNATIVE CONFIGURATIONS



Tools excluded

[CONFIGURE](#)

PATENTED

ART.	W mm	D mm	H mm	KG	RAL
WORK1540	2052	750	1977/2352	1000	7035+7016

Made up of:


qty.	description	qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop	1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf	1	Double lamp
1	Bottom panel for cabinet W=629 mm	1	Single lamp
1	Cabinet W=629 mm with 3 drawers H=150 mm	1	Roll holder kit with Ø 130 mm roll
2	Perforated side panel	1	Support for 4-socket power strip
1	Bin with 30 l capacity	1	Schuko 4-socket power strip
1	Large reversible shelf	1	Wieland Schuko/FR connection cable
2	Angled 2-space spray-can holder	4	Unipok tool hook - 30-piece pack
1	Kit with 2 dual-slotted uprights for workbenches	2	Bar mount for Picking Box bins size 1/2
1	Kit with 2 inclined supports with track	2	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY RAL 7035 + RAL 7016


WORK MASTER BR

WORKBENCHES PRO SERIES




- 1. Perforated side panel
- 2. Support for intermediate half-shelf
- 3. Rear panel
- 4. Multiplex worktop
- 5. Adjustable legs
- 6. Modular unit
- 7. Cabinet with drawers
- 8. Cabinet with door
- 9. Technical cabinet with door


The Work Master BR workbench features a **modular structure** that allows it to be expanded and enriched at any time, constantly adapting to the user's needs. Available in **4 widths**, from 1000 to 3000 mm, it is equipped with a sturdy **worktop** in multiplex **beech** wood with a thickness of 40 mm and with **#b #**height-adjustable legs for an ergonomic working position. It can be set up with high-capacity solutions such as tool walls, cabinets with shelves, with doors and drawer units. The latter can be customised both in terms of pull-out solutions, from 92 to 100%, and of load capacity, from 50 to 100 kg.




**FULL-EXTENSION
DRAWERS**




**PERFORATED
DRAWER BOTTOM**



**DIVIDING
MATERIAL**



**KEY-OPERATED
CLOSURE**




**HEIGHT-ADJUSTABLE
LEGS**

WORK MASTER BR



CONFIGURE 

PATENTED

ART.	W mm	D mm	H mm	 KG	RAL
MASTERBR2007	2206	750	1805/2180	1000	7035+7016

Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 40 mm multiplex worktop	2	Wall unit with vasistas flip up opening without lock
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200	2	Pair of brackets for fastening wall unit to dual-slotted uprights
4	Top/bottom shelf W=560 mm	2	LED strip
1	Right full door H=600 mm with Dark Grey handle	2	Schuko 2-socket power strip
1	Left full door H=600 mm with Dark Grey handle	1	Schuko 4-socket power strip
2	Support for intermediate half-shelf	1	Differential magnetic-thermal circuit breaker
2	Internal shelf W=558 mm	1	Wieland Schuko/FR connection cable
2	Perforated side panel	1	A4 document-holder pocket
1	Perforated panel/shelf with box-stop edge	1	Roll holder kit with roll Ø=240 mm
1	Kit with 3 dual-slotted uprights	2	Angled 2-space spray-can holder
1	Kit with 2 perforated panels/shelves with 1 box-stop edge	5	Unipok tool hook - 30-piece pack
1	Electric perforated panel	1	Bin with 30 l capacity



LOAD CAPACITY RAL 7035 + RAL 7016



1000 kg

height-adjustable

Multiplex worktop thickness 40 mm

Supplied unassembled

Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
MASTERBR1505	1500	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements



[CONFIGURE](#)



ART.	W mm	D mm	H mm	RAL
MASTERBR1506	1500	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements



[CONFIGURE](#)



ART.	W mm	D mm	H mm	RAL
MASTERBR1501	1500	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Support for intermediate half-shelf
2	Perforated side panel



[CONFIGURE](#)

CONFIGURATION EXAMPLES



ART.	W mm	D mm	H mm	RAL
MASTERBR1514	1500	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1

Tools excluded



[CONFIGURE](#)



ART.	W mm	D mm	H mm	RAL
MASTERBR1515	1500	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1

Tools excluded



[CONFIGURE](#)



ART.	W mm	D mm	H mm	RAL
MASTERBR1510	1500	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Perforated side panel
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Support for intermediate half-shelf
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1

Tools excluded



[CONFIGURE](#)



LOAD CAPACITY RAL 7035 + RAL 7016



1000 kg

height-adjustable

Multiplex worktop thickness 40 mm

Supplied unassembled

Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
MASTERBR1502	1500	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Support for intermediate half-shelf
1	Internal shelf W=558 mm
2	Perforated side panel



[CONFIGURE](#)



ART.	W mm	D mm	H mm	RAL
MASTERBR1503	1500	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200



[CONFIGURE](#)



ART.	W mm	D mm	H mm	RAL
MASTERBR1504	1500	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
1	Left partial door H=435 mm with Dark Grey handle
1	Right partial door H=435 mm with Dark Grey handle



[CONFIGURE](#)

CONFIGURATION EXAMPLES



Tools excluded



[CONFIGURE](#)



Tools excluded



[CONFIGURE](#)



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
MASTERBR1511	1500	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Perforated side panel
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Internal shelf W=558 mm
1	Support for intermediate half-shelf
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1

ART.	W mm	D mm	H mm	RAL
MASTERBR1512	1500	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1

ART.	W mm	D mm	H mm	RAL
MASTERBR1513	1500	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
1	Left partial door H=435 mm with Dark Grey handle
1	Right partial door H=435 mm with Dark Grey handle
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY RAL 7035 + RAL 7016



1000 kg

height-adjustable

Multiplex worktop thickness 40 mm

Supplied unassembled

Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
MASTERBR2005	2000	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements



CONFIGURE



ART.	W mm	D mm	H mm	RAL
MASTERBR2006	2000	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements



CONFIGURE



ART.	W mm	D mm	H mm	RAL
MASTERBR2001	2000	750	740/1115	7035+7016


Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm configured for door with 1 adjustable shelf
1	Left full door H=600 mm with Dark Grey handle
2	Additional half-shelf W=560 mm



CONFIGURE

CONFIGURATION EXAMPLES



Tools excluded



ART.	W mm	D mm	H mm	RAL
MASTERBR2013	2000	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1



Tools excluded



ART.	W mm	D mm	H mm	RAL
MASTERBR2014	2000	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1



Tools excluded



ART.	W mm	D mm	H mm	RAL
MASTERBR2009	2000	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm configured for door with 1 adjustable shelf
1	Left full door H=600 mm with Dark Grey handle
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY RAL 7035 + RAL 7016

1000 kg

height-adjustable

Multiplex worktop thickness 40 mm

Supplied unassembled

Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
MASTERBR2002	2000	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
2	Additional half-shelf W=560 mm



ART.	W mm	D mm	H mm	RAL
MASTERBR2003	2000	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
4	Top/bottom shelf W=560 mm
1	Right full door H=600 mm with Dark Grey handle
1	Left full door H=600 mm with Dark Grey handle
2	Support for intermediate half-shelf
2	Internal shelf W=558 mm
2	Perforated side panel




ART.	W mm	D mm	H mm	RAL
MASTERBR2004	2000	750	740/1115	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
3	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
1	Right partial door H=435 mm with Dark Grey handle
2	Left partial door H=435 mm with Dark Grey handle



CONFIGURATION EXAMPLES



Tools excluded



ART.	W mm	D mm	H mm	RAL
MASTERBR2010	2000	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1



Tools excluded



ART.	W mm	D mm	H mm	RAL
MASTERBR2011	2000	750	1683/2058	7035+7016

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
4	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Right full door H=600 mm with Dark Grey handle
2	Internal shelf W=558 mm
2	Support for intermediate half-shelf
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
2	Perforated side panel
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1



Tools excluded



ART.	W mm	D mm	H mm	RAL
MASTERBR2012	2000	750	1683/2058	7035+7016

Made up of:


qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
3	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
2	Left partial door H=435 mm with Dark Grey handle
1	Right partial door H=435 mm with Dark Grey handle
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY RAL 7035 + RAL 7016

WORK MASTER BR

COMPONENTS

 1000 kg

 height-adjustable

 Multiplex worktop thickness 40 mm

 Supplied unassembled

 Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	worktop		RAL
				material	mm	
MBR01S0V0V001PD	1024	750	740/1115	Multiplex	40	7035+7016

[CONFIGURE](#) 



ART.	W mm	D mm	H mm	worktop		RAL
				material	mm	
MBR02S0V0V001PD	1500	750	740/1115	Multiplex	40	7035+7016

[CONFIGURE](#) 



ART.	W mm	D mm	H mm	worktop		RAL
				material	mm	
MBR03S0V0V001PD	2000	750	740/1115	Multiplex	40	7035+7016

[CONFIGURE](#) 



ART.	W mm	D mm	H mm	worktop		RAL
				material	mm	
MBR04S0V0V001PD	3000	750	740/1115	Multiplex	40	7035+7016

[CONFIGURE](#) 




UNASSEMBLED WORKBENCH PACKAGE



PAIR OF REINFORCEMENT CORNER ELEMENTS

ART.	W mm	D mm	H mm	RAL
FBGKITS0008	145	39	145	7035

 Use one corner element for each leg if the drawer unit or shelf is not present (one pair for 1024/1500/2000 mm workbenches, two pairs for 3000 mm workbenches)

WORK MASTER BR

COMPONENTS



COVER FOR MULTIPLEX WORKTOP


ART.	W mm	D mm	H mm
FBL22300007	1028	754	22
FBL22600007	1504	754	22
FBL22900007	2004	754	22
FBL23200007	3004	754	22

TECHNICAL DIAGRAM


W → 1000 mm



W → 1500 mm



W → 2000 mm



W → 3000 mm



LOAD CAPACITY



THICKNESS



RAL 7035 + RAL 7016



RAL 7035

WORK MASTER BR

COMPONENTS

CABINETS WITH DRAWERS

W → 560 mm

27X27 EH

CABINET WITH 3 DRAWERS



ART.	W mm	D mm	H mm	drawers					RAL	
				no.	h 75 mm	h 100 mm	KG			
MBR05SC010203PD	560	610	369	3	1	2	100-75-50	92-96-100%	7035+7016	



CABINET WITH 4 DRAWERS



ART.	W mm	D mm	H mm	drawers					RAL	
				no.	h 75 mm	h 150 mm	h 200 mm	KG		
MBR05SC010204PD	560	610	669	4	1	2	1	100-75-50	92-96-100%	7035+7016



CABINET WITH 5 DRAWERS



ART.	W mm	D mm	H mm	drawers					RAL	
				no.	h 75 mm	h 100 mm	h 200 mm	KG		
MBR05SC010205PD	560	610	669	5	1	3	1	100-75-50	92-96-100%	7035+7016



CABINET WITH MIDDLE SHELF CONFIGURED FOR DOORS



ART.	W mm	D mm	H mm	adjustable shelf	RAL	
MBR05SX00020708	560	610	669	1	7035	

LEFT FULL DOOR H=600 MM WITH DARK GREY HANDLE



ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020239	504	34	600	LH	7016	

RIGHT FULL DOOR H=600 MM WITH DARK GREY HANDLE



ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020139	504	34	600	RH	7016	

WORK MASTER BR

COMPONENTS

CABINETS WITH DRAWERS

W → 560 mm

27X27 EH



TECHNICAL CABINET W=560 MM CONFIGURED FOR DOOR

Suitable for Art. MBR06SC01020339 and Art. MBR06SC01020439

ART.	W mm	D mm	H mm	RAL
MBR05SX000208PD	560	610	669	7035+7016



ELECTRICAL WINDER WITH SCHUKO SOCKET

ART.	Cable length (m)	Type of socket	Volt	Watt
MBR13S0V0V00100	20	Schuko	230	1600



WINDER FOR COMPRESSED AIR

ART.	Cable length (m)	Max MPa pressure	Ø mm
MBR13S0V0V00200	14	1,5	10



ROLL FOR WINDER


ART.
MBR13S0V0V00339



PLATE FOR WINDER

To be fastened to the back of the cabinet

ART.
MBR13S0V0V00499



1. Technical cabinet W=560 mm configured for door
2. Module: Roll for winder

3. Module: 4-socket power strip
4. Module: 2-socket power strip



LOAD CAPACITY



EXTRACTION



RAL 7035 + RAL 7016



RAL 7016



RAL 7035

WORK MASTER BR

COMPONENTS

CABINETS WITH DRAWERS

W → 560 mm

27X27 EH

CABINET W=560 MM CONFIGURED FOR DOOR WITH 1 DRAWER H=150 MM



ART.	W mm	D mm	H mm	drawers			RAL	
				h 150 mm				
MBR05SC010206PD	560	610	669	1	100-75-50	92-96-100%	7035+7016	



LEFT PARTIAL DOOR H=435 MM WITH DARK GREY HANDLE



ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020439	504	34	435	LH	7016	

RIGHT PARTIAL DOOR H=435 MM WITH DARK GREY HANDLE



ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020339	504	34	435	RH	7016	

CABINETS WITH DRAWERS

W → 713 mm

36X27 EH

CABINET W=713 MM WITH 4 DRAWERS 1X75 2X150 1X200



ART.	W mm	D mm	H mm	drawers						RAL	
				no.	h 75 mm	h 150 mm	h 200 mm				
MBR05SC010304PD	713	610	669	4	1	2	1	100-75-50	92-96-100%	7035+7016	



CABINET W=713 MM WITH 5 DRAWERS 1X75 3X100 1X200



ART.	W mm	D mm	H mm	drawers						RAL	
				no.	h 75 mm	h 100 mm	h 200 mm				
MBR05SC010305PD	713	610	669	5	1	3	1	100-75-50	92-96-100%	7035+7016	



WORK MASTER BR

COMPONENTS

CABINETS WITH DRAWERS

W → 713 mm

36X27 EH



CABINET W=713 MM CONFIGURED FOR DOOR WITH 1 ADJUSTABLE SHELF

ART.	W mm	D mm	H mm	RAL
MBR05SX00030708	713	610	669	7035



LEFT FULL DOOR H=600 MM WITH DARK GREY HANDLE

ART.	W mm	D mm	H mm	opening	RAL
MBR06SC01030239	657	34	600	LH	7016





RIGHT FULL DOOR H=600 MM WITH DARK GREY HANDLE

ART.	W mm	D mm	H mm	opening	RAL
MBR06SC01030139	657	34	600	RH	7016



CABINET W=713 MM CONFIGURED FOR DOOR WITH 1 DRAWER H=150 MM

ART.	W mm	D mm	H mm	drawers			RAL
				h 150 mm			
MBR05SC010306PD	713	610	669	1	100-75-50	92-96-100%	7035+7016



LEFT PARTIAL DOOR H=435 MM WITH DARK GREY HANDLE

ART.	W mm	D mm	H mm	opening	RAL
MBR06SC01030439	657	34	435	LH	7016



RIGHT PARTIAL DOOR H=435 MM WITH DARK GREY HANDLE

ART.	W mm	D mm	H mm	opening	RAL
MBR06SC01030339	657	34	435	RH	7016



LOAD CAPACITY



EXTRACTION



RAL 7035 + RAL 7016



RAL 7016



RAL 7035

WORK MASTER BR

COMPONENTS



PERFORATED SIDE PANEL

ART.	W mm	D mm	H mm	Hole dim. mm	RAL	
FBG15S00V0V0008	610	75	669	10x10	7035	



ADDITIONAL MIDDLE SHELF

ART.	W mm	D mm	H mm	KG	RAL	
MBR08S070600008	713	605	35	250	7035	
MBR08S090600008	967	605	35	250	7035	
MBR08S110600008	1120	605	35	250	7035	
MBR08S120600008	1273	605	35	250	7035	
MBR08S160600008	1680	605	35	200	7035	



ADDITIONAL HALF-SHELF

ART.	W mm	D mm	H mm	KG	RAL	
MBR09S050300008	560	305	35	100	7035	
MBR09S070300008	713	305	35	100	7035	
MBR09S090300008	967	305	35	100	7035	
MBR09S110300008	1120	305	35	100	7035	
MBR09S120300008	1273	305	35	100	7035	
MBR09S160300008	1680	305	35	100	7035	



SUPPORT FOR INTERMEDIATE HALF-SHELF

ART.	W mm	D mm	H mm	RAL	
FBG13S605V00008	605	77	35	7035	

WORK MASTER BR

COMPONENTS MODULAR UNIT



1. Internal shelf 27x27 EH
2. Top or bottom shelf 27x27 EH
3. Support for intermediate half-shelf
4. Right full door H=600 mm with Dark Grey handle
5. Left full door H=600 mm with Dark Grey handle



INTERNAL SHELF 27X27 EH

ART.	W mm	D mm	H mm	KG	RAL	
MBR11S0V0020008	558	466	60	100	7035	



TOP OR BOTTOM SHELF 27X27 EH

ART.	W mm	D mm	H mm	KG	RAL	
MBR10S050600008	560	610	32	100	7035	



RIGHT FULL DOOR H=600 MM WITH DARK GREY HANDLE

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020539	554	34	600	RH	7016	



SUPPORT FOR INTERMEDIATE HALF-SHELF

ART.	W mm	D mm	H mm	RAL	
FBG13S605V00008	605	77	35	7035	



LEFT FULL DOOR H=600 MM WITH DARK GREY HANDLE

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020639	554	34	600	LH	7016	



LOAD CAPACITY



RAL 7016



RAL 7035



DIVIDING MATERIAL

W → 560 mm



ART.	Suitable for drawer H mm	components	
FFH84050200	50/300	16 x Transversal divider W=36 mm 7 x Transversal divider W=47 mm 6 x 3-channel divider 3 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84050300	50/300	15 x Transversal divider W=47 mm 8 x Transversal divider W=73 mm 6 x 2-channel divider 3 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84050400	50/300	18 x Transversal divider W=73 mm 9 x 2-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84071800	75	6 x 150x75 mm Divider box	
FFH84101800	100/125	6 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH84070800	75		
FFH84100800	100/125	2 x Longitudinal slotted divider W=457 mm	
FFH84150800	150/175	3 x Transversal divider W=151 mm	
FFH84200800	200/250		

DIVIDING MATERIAL

W → 713 mm



ART.	Suitable for drawer H mm	components	
FFH10051000	50/300	3 x 3-channel divider 9 x 4-channel divider 12 x Transversal divider W=47 mm 36 x Transversal divider W=36 mm	




ART.	Suitable for drawer H mm	components	
FFH10051300	50/300	18 x Transversal divider W=47 mm 12 x Transversal divider W=73 mm 6 x 2-channel divider 6 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH10051500	50/300	20 x Transversal divider W=36 mm 20 x Transversal divider W=47 mm 6 x 3-channel divider 5 x 4-channel divider 1 x Allen key holder	



ART.	Suitable for drawer H mm	components	
FFH10071800	75	16 x 75x75 mm Divider box 8 x 150x75 mm Divider box 4 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH10071600	75	12 x 150x75 mm Divider box	
FFH10101600	100/125	6 x 150x150 mm Divider box	




ART.	Suitable for drawer H mm	components	
FFH10070500	75		
FFH10100500	100/125	2 x Longitudinal slotted divider W=457 mm	
FFH10150500	150/175	3 x Transversal divider w=202 mm	
FFH10200500	200/250		

WORK MASTER BR



CONFIGURE 

PATENTED

ART.	W mm	D mm	H mm	 KG	RAL	
MASTERBR3001	3206	750	1985/2360	1000	7035+7016	

Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 40 mm multiplex worktop	1	A4 document-holder pocket
1	Cabinet W=560 mm configured for door with 1 adjustable shelf	1	Roll holder kit with roll Ø=240 mm
2	Cabinet W=713 mm with 4 drawers 1x75 2x150 1x200	4	Angled 2-space spray-can holder
1	Technical cabinet W=560 mm configured for door	6	Unipok tool hook - 30-piece pack
1	Right partial door H=435 mm with Dark Grey handle	1	Bar mount for Picking Box bins size 1/2
1	Left full door H=600 mm with Dark Grey handle	1	Kit of 4 Picking Box Air bins size 1
2	Perforated side panel	2	Large reversible shelf
1	Kit with 3 dual-slotted uprights	1	Bin with 30 l capacity
2	Kit with 3 perforated panels/shelves with 2 box-stop edges	3	Kit of 2 Picking Box Air bins size 3A2
2	Double lamp	1	Plate for winder
2	Wall unit with door	2	Roll for winder
1	Schuko 2-socket power strip	1	Winder for compressed air
1	Wieland Schuko/FR connection cable	1	Electrical winder with Schuko socket
1	Kit with 3 inclined supports with 2 tracks		




WORK MASTER BR



CONFIGURE 

PATENTED*

ART.	W mm	D mm	H mm	 KG	RAL
MASTERBR1508	1706	750	1985/2360	1000	7035+7016

Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 40 mm multiplex worktop	1	Wieland Schuko/FR connection cable
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200	1	A4 document-holder pocket
2	Top/bottom shelf W=560 mm	1	Roll holder kit with roll Ø=240 mm
1	Left full door H=600 mm with Dark Grey handle	2	Angled 2-space spray-can holder
1	Support for intermediate half-shelf	4	Unipok tool hook - 30-piece pack
1	Internal shelf W=558 mm	1	Bin with 30 l capacity
2	Perforated side panel	2	Wall unit with door
1	Support for 2-socket power strip	1	Double lamp
1	Support for 4-socket power strip	1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Schuko 2-socket power strip	1	Kit with 2 inclined supports with track
1	Schuko 4-socket power strip	1	Kit with 2 dual-slotted uprights for workbenches

 KG




LOAD CAPACITY RAL 7035 + RAL 7016

DYNAMIC

WORKBENCHES

PRO+ SERIES




- | | | |
|--|---------------------|--------------------------|
| 1. End cap | 5. Power strips | 9. Support |
| 2. USB data port | 6. USB charger | 10. Cabinet with drawers |
| 3. Frame | 7. Laminate worktop | 11. Keypad |
| 4. Differential magnetic-thermal circuit breaker | 8. Corner element | |


The Dynamic workstation is a dynamic and ergonomic solution with **electronically height-adjustable legs** via a practical keypad with 3 positioning memories. It is available with widths of 985 and 1470 mm and is equipped with a **laminated worktop**. The electrical components can be installed in the standard crosspiece or in the additional frame which also allows fixing the uprights for an equipped wall. Dynamic can be customised with drawer cabinets and with **ESD products** such as mats and earthing sockets to also be used for processing electronic components.




WORKBENCH LOAD-BEARING CAPACITY
400 KG



LAMINATE WORKTOP



KEYPAD WITH 3 MEMORIES



ELECTRONICALLY ADJUSTABLE HEIGHT



CONFIGURE



ART.	W mm	D mm	H mm	KG	RAL
DYNAMIC1504	1497	780	740/1140	400	7035+7016

Made up of:

qty.	description	qty.	description
1	Electrically adjustable unassembled workbench	1	Schuko 4-socket power strip
1	Cabinet W=560 mm with 3 drawers 1x75 2x100	1	Differential magnetic-thermal circuit breaker
1	Additional power strip frame with end caps and corner elements	1	Wieland connection cable with in/out plugs
1	Pair of supports for cabinet	1	Wieland Schuko/FR connection cable
2	Schuko 2-socket power strip	1	USB data port
		1	USB charging port



LOAD CAPACITY



RAL 7035 + RAL 7016



CONFIGURE



ART.	W mm	D mm	H mm	KG	RAL
DYNAMIC1501	1497	780	1983/2383	400	7035+7016

Made up of:

qty.	description	qty.	description
1	Electrically adjustable unassembled workbench	2	Single lamp
1	Cabinet W=560 mm with 3 drawers 1x75 2x100	1	Supplementary track with fittings
2	Perforated panel/shelf with box-stop edge	1	USB charging port
1	Kit with 2 dual-slotted uprights for workbenches	1	USB data port
1	Kit with 2 inclined supports with track	1	Wieland Schuko/FR connection cable
1	Electric perforated panel	1	Differential magnetic-thermal circuit breaker
1	Double lamp	1	Schuko 4-socket power strip
1	Pair of supports for cabinet	2	Schuko 2-socket power strip
1	Additional power strip frame with end caps and corner elements	36	Picking Box Air polypropylene Bin size 2



ART.	W mm	D mm	H mm	KG	RAL
DYNAMIC1503	1497	780	1983/2383	400	7035+7016

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Supplementary track with fittings
1	Perforated panel/shelf
2	Perforated panel/shelf with box-stop edge
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Reversible tray shelf
1	Unipok tool hook - 30-piece pack
1	Cover for cabinet W=500 mm
2	Schuko 2-socket power strip
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	USB data port
1	USB charging port
1	Electric perforated panel
1	Double lamp
3	Single lamp
1	Additional power strip frame with end caps and corner elements
1	Pair of supports for cabinet
36	Picking Box Air polypropylene Bin size 2



ART.	W mm	D mm	H mm	KG	RAL
DYNAMIC1502	1497	780	1983/2383	400	7035+7016

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
2	Wall unit with door
1	Supplementary track with fittings
2	Perforated panel/shelf with box-stop edge
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Electric perforated panel
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	USB data port
1	USB charging port
1	Reversible tray shelf
1	Double lamp
1	Single lamp
1	Additional power strip frame with end caps and corner elements
2	Schuko 2-socket power strip
6	Kit of 3 Picking Box Air bins size 2



DYNAMIC

COMPONENTS

W ➔ 1000 - 1500 mm

 400 kg

 height-adjustable

 Supplied unassembled



3D

3D

BASE WORKBENCH WITH REVERSIBLE CROSSPIECE

ART.	W mm	D mm	H mm	RAL
FLE0970E0PD	985	700	740/1140	7035+7016
FLE1470E0PD	1470	700	740/1140	7035+7016

1. Reversible crosspiece



The workbench is equipped with legs with electronic height adjustment. The height can vary from minimum 740 mm to maximum 1140 mm.



The numerical keypad allows for controlling the workbench adjustment mechanism. In addition to modifying the worktop's height, it also has 3 positioning memories for rapidly modifying the height of the workbench to the user's requirements.

FRONT VIEW OF THE CROSSPIECE



REAR VIEW OF THE CROSSPIECE



The workbench's crosspiece has incisions for fitting the power sockets and the Iron Team Electric residual current devices. The number of incisions varies in relation to the chosen size. The various components can be installed both on the rear and on the front side of the crosspiece. The Iron Team Electric devices are not included with the crosspiece.

CROSSPIECE SOCKETS DIAGRAM

1000



1 2 3 5 1

1500



1 2 3 4 5 1

1 hole for cables

2 magnetic-thermal circuit breaker

3 2-socket power strip


4 4-socket power strip

5 control unit

DYNAMIC

COMPONENTS

W ➔ 1000 - 1500 mm



1. Reversible crosspiece
2. Frame
3. Corner elements
4. End caps

ADDITIONAL POWER STRIP FRAME WITH END CAPS AND CORNER ELEMENTS

ART.	W mm	D mm	H mm	RAL
FBL46600008	1014	130	208	7035
FBL46650008	1499	130	208	7035



TOP VIEW OF THE FRAME



BOTTOM VIEW OF THE FRAME

To assemble the Work Look upright, it is necessary to install the additional frame.



The reversible frame for the workbench has incisions for fitting the power sockets and the Iron Team Electric residual current devices. The number of incisions varies in relation to the chosen size. The various components can be installed both on the top and on the bottom side of the reversible frame. The Iron Team Electric devices are not included with the additional frame.

FRAME SOCKETS DIAGRAM

1000



- 1
- 2
- 4
- 3
- 3
- 5

1500



- 1
- 2
- 4
- 3
- 3
- 1

- 1 USB data
 2 magnetic-thermal circuit breaker
 3 2-socket power strip
 4 4-socket power strip
 5 USB charging port



LOAD CAPACITY RAL 7035 + RAL 7016 RAL 7035



CABINET WITH 3 DRAWERS



ART.	W mm	D mm	H mm	drawers				RAL	
				no.	h 75 mm	h 100 mm	KG		
MBR05SC010203PD	560	610	369	3	1	2	100-75-50	92-96-100%	7035+7016

CABINET WITH 1 DRAWER



ART.	W mm	D mm	H mm	drawers			RAL	
				no.	KG	h mm		
FBG03S50C0001PD	500	630	210	1	80	86%	150	7035+7016



COVER FOR CABINET W=500 MM

For cabinet with 1 drawer

ART.	W mm	D mm	H mm	RAL	
FBL66900008	496	601	2	7035	



PAIR OF SUPPORTS FOR CABINET

ART.	W mm	D mm	H mm	RAL	
FBL46010008	2	648	181	7035	

IRONTEAM ELECTRIC



FBLET012007



FBLET004007



FBLET005007



FBLET016007



FBLET013007



FBLET020007



FBLET019007


see page 196

DYNAMIC

COMPONENTS



The Dynamic workbench with electronically adjustable height can be used to create a dynamic and ergonomic industrial workstation suited to applications in a variety of sectors. To maximise the user's comfort, Dynamic offers several solutions: cabinets with drawers, additional frames or crossbeams for electrical components, Work Look perforated panels. The legs with adjustable height are controlled through a practical numerical keypad. The height of the workbench can be varied to the millimetre between minimum 740 mm to maximum 1140 mm. The keypad can memorise three different heights to rapidly and easily adjust the worktop with a few steps.



1. 2-layer ESD mat
2. ESD schuko plug
3. Adjustable strap with button and cable
4. Cable with button

2-LAYER ESD MAT

ART.	W mm	D mm	H mm
FAXTAPPIER120XB	900	600	2

ESD SCHUKO PLUG

ART.	W mm	D mm	H mm
FAXSCHUKOESD005	52	52	72

ADJUSTABLE STRAP WITH BUTTON AND CABLE

ART.	Cable length (m)
FAXITE780419304	2,5

CABLE WITH BUTTON

ART.	W mm
FAXITE7804885XB	2500



LOAD CAPACITY



EXTRACTION



RAL 7035 + RAL 7016




RAL 7035


WORK LOOK

PERFORATED PANELS


PRO SERIES




The Work Look **perforated panels** with **10x10** mm hole can be placed on workbenches, trolleys, wooden walls or walls to create tool panels of different sizes. If installed on workbench uprights, the user can choose whether to use the panel as a **tool wall** or as a **horizontal or inclined shelf** with box-stop edge. Work Look can accommodate a wide range of components: from overhead structures and lamps to bottom-hung wall units, accessories, and hooks.




WALL-MOUNTED




10X10 SQUARE HOLES



SUITABLE FOR WOOD AND STEEL WORKTOPS



MODULAR



38 MM PITCH

WORK LOOK



CONFIGURE

PATENTED*

ART.	W mm	D mm	H mm	KG	RAL	
MASTERBR1507	1706	750	1985/2360	1000	7035+7016	

Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 40 mm multiplex worktop	1	Kit with 2 dual-slotted uprights for workbenches
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200	1	Bin with 30 l capacity
2	Top/bottom shelf W=560 mm	1	Large reversible shelf
1	Left full door H=600 mm with Dark Grey handle	1	Bar mount for Picking Box bins size 1/2
1	Internal shelf W=558 mm	1	Kit of 4 Picking Box Air bins size 1
1	Support for intermediate half-shelf	3	Unipok tool hook - 30-piece pack
2	Perforated side panel	2	Angled 2-space spray-can holder
1	LED strip	1	Roll holder kit with Ø 130 mm roll
1	Pair of brackets for fastening wall unit to dual-slotted uprights	1	A4 document-holder pocket
1	Wall unit with vasistas flip up opening without lock	1	Wieland Schuko/FR connection cable
1	Double lamp	1	Schuko 4-socket power strip
1	Kit with 2 perforated panels/shelves with 1 box-stop edge	1	Schuko 2-socket power strip
1	Kit with 2 inclined supports with track	1	Support for 4-socket power strip
		1	Support for 2-socket power strip



LOAD CAPACITY RAL 7035 + RAL 7016

WORK LOOK



CHANGE THE APPEARANCE OF YOUR WORKBENCH AND MAKE IT SUITABLE FOR VARIOUS USES WITH WORK LOOK!

Depending on how you install it, you can use it as:
a perforated panel, a horizontal shelf, an inclined shelf with box-stop edge.



ART.	W mm	D mm	H mm	uprights	RAL
WORKLOOK1001	1015	80	639	50	7035+7016
WORKLOOK1002	1015	80	639	50	5012

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge



ART.	W mm	D mm	H mm	uprights	RAL
WORKLOOK1003	1015	80	943	50	7035+7016
WORKLOOK1004	1015	80	943	50	5012

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges



ART.	W mm	D mm	H mm	uprights	RAL
WORKLOOK1501	1500	80	639	50	7035+7016
WORKLOOK1502	1500	80	639	50	5012

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge




ART.	W mm	D mm	H mm	uprights	RAL
WORKLOOK1503	1500	80	943	50	7035+7016
WORKLOOK1504	1500	80	943	50	5012

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges


WORK LOOK




ART.	W mm	D mm	H mm	 uprights	RAL
WORKLOOK2001	2000	80	639	50	7035+7016
WORKLOOK2002	2000	80	639	50	5012

Made up of:


qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge




ART.	W mm	D mm	H mm	 uprights	RAL
WORKLOOK2003	2000	80	943	50	7035+7016
WORKLOOK2004	2000	80	943	50	5012

Made up of:


qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges




ART.	W mm	D mm	H mm	 uprights	RAL
WORKLOOK3001	2970	80	639	50	7035+7016
WORKLOOK3002	2970	80	639	50	5012

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge



ART.	W mm	D mm	H mm	 uprights	RAL
WORKLOOK3003	2970	80	943	50	7035+7016
WORKLOOK3004	2970	80	943	50	5012

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012


WORK LOOK

COMPONENTS

WALL UNITS



WALL UNIT WITH VASISTAS FLIP UP OPENING WITHOUT LOCK

ART.	W mm	D mm	H mm	 Kg	RAL
FBL8005X000PD	943	350	456	50	7035+7016
FBL8005X00004	943	350	456	50	5012
FBL8010X000PD	1428	350	456	50	7035+7016
FBL8010X00004	1428	350	456	50	5012




LOCKSET FOR WALL UNIT

ART.
FBL8020C00000



PAIR OF BRACKETS FOR FASTENING WALL UNIT TO DUAL-SLOTTED UPRIGHTS

ART.	W mm	D mm	H mm	RAL
FBL8025000008	33	21	455	7035
FBL8025000004	33	21	455	5012

 To be used for fastening the wall unit to the dual-slotted uprights



LED STRIP

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen
FBL99350213	573	4000	10	50/60	1000
FBL99400213	873	4000	15	50/60	1500
FBL99450213	1173	4000	20	50/60	2000

WORK LOOK

WALL UNITS WITH UPRIGHTS AND WORKBENCH PANELS



ART.	W mm	D mm	H mm	uprights	RAL
WORKLOOK1005	1015	373	1063	50	7035+7016
WORKLOOK1006	1015	373	1063	50	5012

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Pair of brackets for fastening wall unit to dual-slotted uprights
2	Unipok tool hook - 30-piece pack



ART.	W mm	D mm	H mm	uprights	RAL
WORKLOOK1505	1500	373	1063	50	7035+7016
WORKLOOK1506	1500	373	1063	50	5012

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Pair of brackets for fastening wall unit to dual-slotted uprights
2	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



ART.	W mm	D mm	H mm	uprights	RAL
WORKLOOK2005	2000	373	1063	50	7035+7016
WORKLOOK2006	2000	373	1063	50	5012

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights
2	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1



ART.	W mm	D mm	H mm	uprights	RAL
WORKLOOK3005	2970	373	1063	50	7035+7016
WORKLOOK3006	2970	373	1063	50	5012

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights
5	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035

WORK LOOK


COMPONENTS

SHUTTERS



CABINET WITH SHUTTER

ART.	W mm	D mm	H mm	RAL	
FBL8050C00008	943	220	912	7035	
FBL8050C00004	943	220	912	5012	
FBL8054C00008	1428	220	912	7035	
FBL8054C00004	1428	220	912	5012	
FBL8056C00008	1928	220	912	7035	
FBL8056C00004	1928	220	912	5012	



PAIR OF BRACKETS FOR FIXING CABINET WITH SHUTTER ON UPRIGHTS

ART.	W mm	D mm	H mm	RAL	
FBL8060000008	33	21	904	7035	
FBL8060000004	33	21	904	5012	

⚠ To be used for fixing the cabinet with shutter on the double-slotted uprights



LED STRIP


Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	
FBL99400213	873	4000	15	50/60	1500	
FBL99450213	1173	4000	20	50/60	2000	

WORK LOOK


ROLLER SHUTTERS WITH UPRIGHTS AND WORKBENCH PANELS




ART.	W mm	D mm	H mm	 uprights	RAL
WORKLOOK1009	1015	710	1243	50	7035+7016
WORKLOOK1010	1015	710	1243	50	5012

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Lamp W=988 mm
1	Electric perforated panel
1	Pair of brackets for fixing cabinet with shutter on uprights
1	Cabinet with shutter
4	Unipok tool hook - 30-piece pack




ART.	W mm	D mm	H mm	 uprights	RAL
WORKLOOK1515	1500	710	1243	50	7035+7016
WORKLOOK1516	1500	710	1243	50	5012

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Lamp W=988 mm
1	Electric perforated panel
1	Pair of brackets for fixing cabinet with shutter on uprights
1	Cabinet with shutter
6	Unipok tool hook - 30-piece pack




ART.	W mm	D mm	H mm	 uprights	RAL
WORKLOOK2009	2000	710	1243	50	7035+7016
WORKLOOK2010	2000	710	1243	50	5012

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
1	Kit with 3 inclined supports with 2 tracks
1	Lamp W=1473 mm
2	Electric perforated panel
2	Pair of brackets for fixing cabinet with shutter on uprights
2	Cabinet with shutter
8	Unipok tool hook - 30-piece pack



ART.	W mm	D mm	H mm	 uprights	RAL
WORKLOOK2011	2000	300	1064	50	7035+7016
WORKLOOK2012	2000	300	1064	50	5012

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Electric perforated panel
1	Pair of brackets for fixing cabinet with shutter on uprights
1	Cabinet with shutter
8	Unipok tool hook - 30-piece pack



LOAD CAPACITY



RAL 7035+RAL 7016



RAL 5012



RAL 7035




WORK LOOK

PERFORATED WALL PANELS




KIT WITH PANEL WALL-MOUNTING BRACKETS

ART.	Finish
FVT02550000	Galvanised



PERFORATED PANEL/SHELF

ART.	W mm	D mm	H mm	RAL
FBL76160008	953	40	304	7035
FBL76160004	953	40	304	5012
FBL76310008	1438	40	304	7035
FBL76310004	1438	40	304	5012



TOOL HOLDER WALL

ART.	W mm	D mm	H mm	RAL
WORKLOOK1510	1438	151	608	7035
WORKLOOK1509	1438	151	608	5012

Made up of:

qty.	description
2	Perforated panel/shelf
2	Kit with panel wall-mounting brackets
1	Angled 2-space spray-can holder
1	Unipok tool hook - 30-piece pack
10	Hook with tip D=100 mm

WORK LOOK

PERFORATED WALL PANELS

Perforated panels, see p. 166 / 167
 Wall fixing of perforated panels, see p. 162
 Unipok hooks, see p. 191
 The Block hooks, see p. 195
 Iron Team accessories, see p. 196



TOOL HOLDER WALL

ART.	W mm	D mm	H mm	RAL
WORKLOOK1512	1438	218	608	7035
WORKLOOK1511	1438	218	608	5012

Made up of:

qty.	description
2	Perforated panel/shelf
2	Kit with panel wall-mounting brackets
1	Roll holder kit with Ø 130 mm roll
1	Unipok tool hook - 30-piece pack
10	Hook with tip D=100 mm
1	Bar mount for Picking Box bins size 1/2
1	Kit of 4 Picking Box Air bins size 1



TOOL HOLDER WALL

ART.	W mm	D mm	H mm	RAL
WORKLOOK1514	1438	275	608	7035
WORKLOOK1513	1438	275	608	5012

Made up of:

qty.	description
2	Perforated panel/shelf
2	Kit with panel wall-mounting brackets
1	Unipok tool hook - 30-piece pack
10	Hook with tip D=100 mm
10	Hook with tip D=150 mm
1	Bar mount for Picking Box bins size 1/2
1	Kit of 3 Picking Box Air bins size 2



RAL 5012

RAL 7035

GALVANISED

WORK LOOK

COMPONENTS

UPRIGHTS



KIT WITH 2 DUAL-SLOTTED UPRIGHTS FOR WORKBENCHES

ART.	W mm	D mm	H mm	KG	suitable for workbench W mm	RAL	
FBL75301604	30	80	639	50	1000-1500	5012	
FBL75301639	30	80	639	50	1000-1500	7016	
FBL75351604	30	80	943	50	1000-1500	5012	
FBL75351639	30	80	943	50	1000-1500	7016	



KIT WITH 3 DUAL-SLOTTED UPRIGHTS

ART.	W mm	D mm	H mm	KG	suitable for workbench W mm	RAL	
FBL75302104	30	80	639	50	2000-3000	5012	
FBL75302139	30	80	639	50	2000-3000	7016	
FBL75352104	30	80	943	50	2000-3000	5012	
FBL75352139	30	80	943	50	2000-3000	7016	

WORK LOOK

COMPONENTS

INCLINED SUPPORTS WITH BASE TRACK



KIT WITH 2 INCLINED SUPPORTS WITH TRACK

ART.	W mm	D mm	H mm	RAL	
FBL98102039	1015	686	307	7016	
FBL98102004	1015	686	307	5012	



KIT WITH 2 INCLINED SUPPORTS WITH TRACK

ART.	W mm	D mm	H mm	RAL	
FBL98152039	1500	686	307	7016	
FBL98152004	1500	686	307	5012	



KIT WITH 3 INCLINED SUPPORTS WITH 2 TRACKS

ART.	W mm	D mm	H mm	RAL	
FBL98202039	2000	686	307	7016	
FBL98202004	2000	686	307	5012	




KIT WITH 3 INCLINED SUPPORTS WITH 2 TRACKS

ART.	W mm	D mm	H mm	RAL	
FBL98302039	2970	686	307	7016	
FBL98302004	2970	686	307	5012	



SUPPLEMENTARY TRACK WITH FITTINGS

ART.	W mm	D mm	H mm	material	
FBL98101000	1015	60	67	Aluminium	
FBL98151000	1500	60	67	Aluminium	



COMPRESSED AIR SET WITH FLOW BALANCING DEVICE AND FILTER

ART.	
FBL97200300	

Complete with:

- 1 Ø 10 mm flexible cable
- 1 T connector (1/4") with cap (B)
- 2 slide fittings
- 1 carabiner
- 1 balancing device with 1600 mm-long steel cable with a 1/2 kg load-bearing capacity
- 1 universal fitting (1/4") for tools (A)
- 1 spiralled pipe with 5,5 mm internal diameter
- 1 pipe with 5,5 mm internal diameter for purging the filter
- 1 regulator filter unit with pressure gauge – which can be used with a maximum pressure of 10 bar, its flow rate is roughly 9 litres per second (on point A) and 11 litres per second (on point B) with a 6.3 bar operating pressure (the flow rate can vary in relation to the technical features of the compressed air line to which the Fami plant is connected)
- 1/4" couplings



LOAD CAPACITY



RAL 5012



RAL 7016







ALUMINIUM

WORK LOOK

COMPONENTS

PERFORATED PANELS/SHELF 953 mm



1. USB data port
2. Differential magnetic-thermal circuit breaker
3. 4-socket power strip
4. 2-socket power strip
5. USB charger

PERFORATED PANEL/SHELF

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76160008	953	40	304	10x10	38	7035	
FBL76160004	953	40	304	10x10	38	5012	

KIT WITH 2 PERFORATED PANELS/SHELVES WITH 1 BOX-STOP EDGE

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76160208	953	40	304	10x10	38	7035	
FBL76160204	953	40	304	10x10	38	5012	

KIT WITH 3 PERFORATED PANELS/SHELVES WITH 2 BOX-STOP EDGES

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76160308	953	40	304	10x10	38	7035	
FBL76160304	953	40	304	10x10	38	5012	

PERFORATED PANEL/SHELF WITH BOX-STOP EDGE

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76170108	953	40	456	10x10	38	7035	
FBL76170104	953	40	456	10x10	38	5012	






ELECTRIC PERFORATED PANEL

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76180008	953	31	152	10x10	38	7035	
FBL76180004	953	31	152	10x10	38	5012	

WORK LOOK

COMPONENTS

PERFORATED PANELS/SHELF 1438 mm



1. USB data port
2. Differential magnetic-thermal circuit breaker
3. 4-socket power strip
4. 2-socket power strip
5. USB charger

PERFORATED PANEL/SHELF

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76310008	1438	40	304	10x10	38	7035	
FBL76310004	1438	40	304	10x10	38	5012	

KIT WITH 2 PERFORATED PANELS/SHELVES WITH 1 BOX-STOP EDGE

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76310208	1438	40	304	10x10	38	7035	
FBL76310204	1438	40	304	10x10	38	5012	

KIT WITH 3 PERFORATED PANELS/SHELVES WITH 2 BOX-STOP EDGES

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76310308	1438	40	304	10x10	38	7035	
FBL76310304	1438	40	304	10x10	38	5012	

PERFORATED PANEL/SHELF WITH BOX-STOP EDGE

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76320108	1438	40	456	10x10	38	7035	
FBL76320104	1438	40	456	10x10	38	5012	

ELECTRIC PERFORATED PANEL

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76330008	1438	31	152	10x10	38	7035	
FBL76330004	1438	31	152	10x10	38	5012	




RAL 5012

RAL 7035

WORK LOOK

COMPONENTS

PERFORATED PANELS/SHELF 1938 mm



PERFORATED PANEL/SHELF

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76360008	1938	40	304	10x10	38	7035	
FBL76360004	1938	40	304	10x10	38	5012	

PERFORATED PANEL/SHELF

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76370008	1938	40	456	10x10	38	7035	
FBL76370004	1938	40	456	10x10	38	5012	

PAIR OF SUPPORTS FOR PERFORATED PANEL/SHELF

ART.	W mm	D mm	H mm	RAL	
FVT01010039	12	237	99	7016	



WORK LOOK



ART.	RAL	
WORKLOOK9001	7035	



Made up of:

qty.	description	qty.	description
2	Perforated panel/shelf with box-stop edge	1	Bin with 30 l capacity
3	Perforated panel/shelf	5	Unipok tool hook - 30-piece pack
5	Kit with panel wall-mounting brackets	1	Schuko 2-socket power strip
1	Reversible tray shelf	1	Schuko 4-socket power strip
1	Reversible sanitiser-bottle holder	1	Differential magnetic-thermal circuit breaker
1	Roll holder kit with roll Ø=240 mm	1	Wieland Schuko/FR connection cable
1	Glove dispenser	1	Support for 2-socket power strip
1	A4 document-holder pocket	1	Support for 4-socket power strip
2	Large reversible shelf	1	Support for residual current device
		2	Double lamp




COMPONENTS



COMPONENTS

WORK TECH VICE



Hose jaws as standard



SCREW KIT FOR FASTENING OF THE VICE TO THE WORKTOP

ART.	
F22VT000050Z000	



WORK TECH MODEL PROFESSIONAL VICE

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
F22FABL11500039	100	300	138	100	125	7016	

⚠ With hose jaws for pipes with external Ø 16-40 mm



PROFESSIONAL VICE WITH SWIVEL BASE, WORK TECH MODEL

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
IRONTEAM003	100	300	138	100	125	7016	

⚠ With hose jaws for pipes with external Ø 16-40 mm



WORK TECH MODEL PROFESSIONAL VICE

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
F22FABL11550039	120	375	170	120	150	7016	

⚠ With hose jaws for pipes with external Ø 16-58 mm



PROFESSIONAL VICE WITH SWIVEL BASE, WORK TECH MODEL


ART.	W mm	D mm	H mm	A mm	B mm	RAL	
IRONTEAM004	120	375	170	120	150	7016	

⚠ With hose jaws for pipes with external Ø 16-58 mm

■
RAL 7016

COMPONENTS

WORK GO VICE



Hose jaws as standard



WORK GO MODEL PROFESSIONAL VICE

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
F22FABL11600039	120	333	122	100	125	7016	

⚠ With hose jaws for pipes with external \varnothing 17-42 mm



PROFESSIONAL VICE WITH SWIVEL BASE, WORK GO MODEL

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
IRONTEAM005	120	333	122	100	125	7016	

⚠ With hose jaws for pipes with external \varnothing 17-42 mm



WORK GO MODEL PROFESSIONAL VICE

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
F22FABL11650039	150	389	150	120	150	7016	

⚠ With hose jaws for pipes with external \varnothing 17-48 mm




PROFESSIONAL VICE WITH SWIVEL BASE, WORK GO MODEL

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
IRONTEAM006	150	389	150	120	150	7016	

⚠ With hose jaws for pipes with external \varnothing 17-48 mm

COMPONENTS

WORK STRONG VICE



Hose jaws as standard



WORK STRONG MODEL PROFESSIONAL VICE

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
F22FABL11700039	160	425	167	135	170	7016	

⚠ With hose jaws for pipes with external Ø 17-48 mm



PROFESSIONAL VICE WITH SWIVEL BASE, WORK STRONG MODEL

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
IRONTEAM007	160	425	167	135	170	7016	

⚠ With hose jaws for pipes with external Ø 17-48 mm



WORK STRONG MODEL PROFESSIONAL VICE

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
F22FABL11750039	180	480	187	150	190	7016	

⚠ With hose jaws for pipes with external Ø 17-76 mm



PROFESSIONAL VICE WITH SWIVEL BASE, WORK STRONG MODEL

ART.	W mm	D mm	H mm	A mm	B mm	RAL	
IRONTEAM008	180	480	187	150	190	7016	

⚠ With hose jaws for pipes with external Ø 17-76 mm

COMPONENTS

WORK CHAIRS



ADJUSTABLE CHAIR WITH PNEUMATIC CYLINDER EQUIPPED WITH WHEELS

ART.	W mm	D mm	material	Seat H mm	No. of wheels	
FAX1100RG000000	630	630	Beech	510/690	5	



ADJUSTABLE CHAIR WITH PNEUMATIC CYLINDER EQUIPPED WITH FEET

ART.	W mm	D mm	material	Seat H mm	No. of feet	colour
FAX120000000007	630	630	Polyurethane	580/840	5	Black



ADJUSTABLE CHAIR WITH PNEUMATIC CYLINDER EQUIPPED WITH WHEELS

ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour
FAX125000000007	630	630	Polyurethane	540/730	5	Black



ADJUSTABLE CHAIR WITH PNEUMATIC CYLINDER EQUIPPED WITH WHEELS

ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour
FAXCATY50000007	630	630	Polyurethane	435/565	5	Black

COMPONENTS

WORK CHAIRS



ADJUSTABLE CHAIR WITH PNEUMATIC CYLINDER EQUIPPED WITH WHEELS

ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour	
FAXCATY80000007	630	630	Polyurethane	525/710	5	Black	



ADJUSTABLE ANTISTATIC CHAIR WITH GAS PUMP WITH WHEELS

ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour	
FAXGREF21200001	640	640	Antistatic fabric	470/600	5	Dark grey	

FOLDING TABLE



TABLE WITH FOLDING LEGS

ART.	Overall dimensions when open			Overall dimensions when closed			Worktop material	KG	RAL
	W mm	D mm	H mm	W mm	D mm	H mm			
F22WWTABLE00039	1184	590	896	1100	590	60	Multiplex	400	7016



KIT WITH 3 HOOKS FOR FASTENING THE TABLE VERTICALLY

ART.	W mm	D mm	H mm	KG	RAL
F22WWTABLEFIS39	152	81	92	25	7016



LOAD CAPACITY




RAL 7016

ERGO WORK


SWIVEL ARMS PRO SERIES




The Ergo Work **swivel arms** increase the storage space available to the operator on workbenches and trolleys. You can choose between two different types of arms: the first can be installed directly on the **upright** of the equipped wall, while the second is fixed onto the **worktop**. Thanks to its wide rotation angle, the position of the arm can be easily adjusted so as to have everything to hand and make the workstation increasingly ergonomic. Ergo Work can accommodate trays, monitor support plates, solutions with containers and perforated panels.



CONFIGURABLE




MOUNTING ON
UPRIGHTS



MOUNTING ON
WORKTOP



LOAD-BEARING
CAPACITY 20 KG



ROTATION ANGLE
240-260°



CONFIGURE

PATENTED*

ART.	W mm	D mm	H mm	KG	RAL
DYNAMIC1506	1497/3139	780	1983/2383	400	7035+7016

Made up of:

qty.	description	qty.	description
1	Electrically adjustable unassembled workbench	1	Schuko 4-socket power strip
1	Cabinet W=500 mm with 1 drawer H=150 mm	2	Schuko 2-socket power strip
1	Cover for cabinet W=500 mm	1	USB charging port
1	Pair of supports for cabinet	1	USB data port
1	Additional power strip frame with end caps and corner elements	1	Wieland Schuko/FR connection cable
1	Kit with 2 dual-slotted uprights for workbenches	1	Glove dispenser
1	Kit with 2 inclined supports with track	1	Reversible sanitiser-bottle holder
1	Double lamp	36	Picking Box Air polypropylene Bin size 2
1	Supplementary track with fittings	4	Swivel arm for upright
1	Compressed air set with flow balancing device and filter	1	Joint for plate
2	Perforated panel/shelf with box-stop edge	3	Monitor support plate with VESA standard
3	Single lamp	1	Panel for Picking Box
1	Perforated panel/shelf	3	Bar mount for Picking Box bins size 1/2
1	Electric perforated panel	3	Kit of 4 Picking Box Air bins size 1
2	Unipok tool hook - 30-piece pack	1	Panel for Visual Box
1	Differential magnetic-thermal circuit breaker	2	Visual Box cabinet with 6 drawers
1	Inclined tray	1	Visual Box cabinet with 5 drawers



LOAD CAPACITY RAL 7035 + RAL 7016



SWIVEL ARM WITH PICKING BOX

ART.	W mm	D mm	H mm	RAL	
ERGOWORK002	760/515	470/283	356	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Monitor support plate with VESA standard
1	Panel for Picking Box
3	Bar mount for Picking Box bins size 1/2
3	Kit of 4 Picking Box Air bins size 1



SWIVEL ARM WITH PICKING BOX

ART.	W mm	D mm	H mm	RAL	
ERGOWORK003	826/515	470/348	356	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Monitor support plate with VESA standard
1	Panel for Picking Box
2	Bar mount for Picking Box bins size 1/2
1	Kit of 3 Picking Box Air bins size 2
1	Kit of 4 Picking Box Air bins size 1




SWIVEL ARM WITH VISUAL BOX

ART.	W mm	D mm	H mm	RAL	
ERGOWORK004	738/612	601/294	390	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Monitor support plate with VESA standard
1	Panel for Visual Box
1	Visual Box cabinet with 5 drawers
2	Visual Box cabinet with 6 drawers



MONITOR SUPPORT PLATE WITH BRACKETS

ART.	W mm	D mm	H mm	RAL	
ERGOWORK014	225/129	119/225	225	7016	

Made up of:

qty.	description
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard



PERFORATED PANEL WITH HINGES

ART.	W mm	D mm	H mm	RAL	
ERGOWORK007	647	60	496	7035	

Made up of:

qty.	description
1	Perforated panel/shelf with box-stop edge
1	Hinge kit for perforated panel



SWIVEL ARM WITH INCLINED TRAY

ART.	W mm	D mm	H mm	RAL	
ERGOWORK005	674/522	425/470	194	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Inclined tray



SWIVEL ARM WITH MONITOR SUPPORT PLATE

ART.	W mm	D mm	H mm	RAL	
ERGOWORK001	652/330	225/225	225	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Joint for plate
1	Monitor support plate with VESA standard



 RAL 7016

 RAL 7035



CONFIGURE 

ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1031	1036	672	1428	300	300	7035	

Made up of:

qty.	description	qty.	description
1	Unassembled trolley without wheels	1	Profile with base for worktop
1	Wooden worktop with supports	1	Pair of L-shaped brackets
2	Perforated side panel	1	Joint for plate
1	Perforated rear panel	1	Monitor support plate with VESA standard
1	Pair of hinged doors	1	Non-marking synthetic rubber wheels kit Ø 125 mm




SWIVEL ARM WITH INCLINED TRAY

ART.	W mm	D mm	H mm	RAL	
ERGOWORK013	745/521	425/480	552	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Inclined tray



SWIVEL ARM WITH MONITOR SUPPORT PLATE

ART.	W mm	D mm	H mm	RAL	
ERGOWORK009	724/402	225/192	550	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Joint for plate
1	Monitor support plate with VESA standard



PROFILE WITH MONITOR SUPPORT PLATE

ART.	W mm	D mm	H mm	RAL	
ERGOWORK008	225/199	151/225	560	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard



LOAD CAPACITY



RAL 7016



RAL 7035



SWIVEL ARM WITH PICKING BOX

ART.	W mm	D mm	H mm	RAL	
ERGOWORK010	832/515	470/300	628	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Monitor support plate with VESA standard
1	Panel for Picking Box
3	Bar mount for Picking Box bins size 1/2
3	Kit of 4 Picking Box Air bins size 1



SWIVEL ARM WITH PICKING BOX

ART.	W mm	D mm	H mm	RAL	
ERGOWORK011	898/515	470/365	628	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Monitor support plate with VESA standard
1	Panel for Picking Box
2	Bar mount for Picking Box bins size 1/2
1	Kit of 3 Picking Box Air bins size 2
1	Kit of 4 Picking Box Air bins size 1




SWIVEL ARM WITH VISUAL BOX

ART.	W mm	D mm	H mm	RAL	
ERGOWORK012	808/601	601/275	668	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Monitor support plate with VESA standard
1	Panel for Visual Box
1	Visual Box cabinet with 5 drawers
2	Visual Box cabinet with 6 drawers



[CONFIGURE](#)



ART.	W mm	D mm	H mm	KG	RAL
MASTERBR2008	3347	750	1985/2360	1000	7035+7016


Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 40 mm multiplex worktop	1	Differential magnetic-thermal circuit breaker
1	Cover for multiplex worktop	1	Wieland Schuko/FR connection cable
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200	1	Reversible sanitiser-bottle holder
1	Cabinet W=560 mm configured for door with 1 adjustable shelf	1	Glove dispenser
1	Left full door H=600 mm with Dark Grey handle	1	Roll holder kit with roll Ø=240 mm
2	Additional half-shelf W=560 mm	4	Kit of 2 Picking Box Air bins size 3A2
1	Kit with 2 dual-slotted uprights for workbenches	2	Perforated panel/shelf with box-stop edge
1	Kit with 2 inclined supports with track	2	Hinge kit for perforated panel
1	Supplementary track with fittings	8	Bar mount for Picking Box bins size 1/2
1	Double lamp	4	Kit of 4 Picking Box Air bins size 1
1	Kit with 3 perforated panels/shelves with 2 box-stop edges	4	Kit of 3 Picking Box Air bins size 2
1	Electric perforated panel	2	Profile with base for worktop
2	Schuko 2-socket power strip	2	Swivel arm for profile
1	Schuko 4-socket power strip	1	Inclined tray
1	Monitor support plate with VESA standard	1	Joint for plate



LOAD CAPACITY RAL 7035 + RAL 7016 RAL 7016

COMPONENTS



1. Monitor support plate with VESA standard
2. Joint for plate
3. Swivel arm for profile
4. Profile with base for worktop

1. Monitor support plate with VESA standard
2. Panel for Visual Box
3. Visual Box cabinet with 6 drawers
4. Swivel arm for upright



SWIVEL ARM FOR UPRIGHT

ART.	W mm	D mm	H mm	Rotation angle °	material	KG	RAL	
FBL74100039	580/330	72/97	158	240	Aluminium	20	7016	



SWIVEL ARM FOR PROFILE

To be used on profile with base for worktop

ART.	W mm	D mm	H mm	Rotation angle °	material	KG	RAL	
FBL74180039	621/371	57/90	158	260	Aluminium	20	7016	



PROFILE WITH BASE FOR WORKTOP

ART.	W mm	D mm	H mm	suitable for	material	KG	RAL	
FBL74160039	100	100	504	Multiplex worktop-MDF worktop with rubber coating	Aluminium	20	7016	



PANEL FOR VISUAL BOX

To be used with monitor support plate

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	KG	RAL	
FBL74150039	601	31	313	10x10	38	20	7016	

See Visual Box page 405

COMPONENTS



MONITOR SUPPORT PLATE WITH VESA STANDARD

Can be oriented on one axis

ART.	W mm	D mm	H mm	RAL	
FBL74120039	225	50	225	7016	



JOINT FOR PLATE

To be used with a monitor support plate to be oriented on two axes

ART.	W mm	D mm	H mm	RAL	
FBL74110039	91	67	51	7016	



PAIR OF L-SHAPED BRACKETS

To be used with monitor support plate

ART.	W mm	D mm	H mm	RAL	
FBL74170039	38	36	32	7016	



INCLINED TRAY

ART.	W mm	D mm	H mm	RAL	
FBL74130039	425	308	135	7016	



1. Inclined tray
2. Swivel arm for profile
3. Profile with base for worktop



LOAD CAPACITY



RAL 7016



ALUMINIUM

COMPONENTS



PANEL FOR PICKING BOX

To be used with monitor support plate

ART.	W mm	D mm	H mm	suitable for	KG	RAL
FBL74140039	470	12	356	Picking Box bin size 1/2	20	7016



BAR MOUNT FOR PICKING BOX BINS SIZE 1/2

ART.	W mm	D mm	H mm	Finish
FBLIT020099	445	14	89	Galvanised


KIT OF 4 PICKING BOX AIR BINS SIZE 1

ART.	overall dimensions			colour
	W mm	D mm	H mm	
FBLIT0600LQ	108	173	76	Grey
FBLIT060039	108	173	76	Black
FBLIT060032	108	173	76	Blue
FBLIT06001Z	108	173	76	Yellow
FBLIT06002Y	108	173	76	Red
FBLIT06004Q	108	173	76	Green



KIT OF 3 PICKING BOX AIR BINS SIZE 2

ART.	overall dimensions			colour
	W mm	D mm	H mm	
FBLIT0610LQ	160	234	127	Grey
FBLIT061039	160	234	127	Black
FBLIT061032	160	234	127	Blue
FBLIT06101Z	160	234	127	Yellow
FBLIT06102Y	160	234	127	Red
FBLIT06104Q	160	234	127	Green




1. Bar mount for Picking Box bins size 1/2
Kit of 4 Picking Box Air bins size 1
2. Panel for Picking Box
3. Monitor support plate with VESA standard
4. Swivel arm for upright



ART.	W mm	D mm	H mm	KG	RAL
MASTERBR1509	1706/3016	750	1985/2360	1000	7035+7016

Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 40 mm multiplex worktop	3	Swivel arm for upright
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200	1	Joint for plate
2	Top/bottom shelf W=560 mm	2	Monitor support plate with VESA standard
1	Left full door H=600 mm with Dark Grey handle	1	Inclined tray
1	Internal shelf W=558 mm	1	Panel for Visual Box
1	Support for intermediate half-shelf	1	Visual Box cabinet with 5 drawers
2	Perforated side panel	2	Visual Box cabinet with 6 drawers
1	Kit with 2 dual-slotted uprights for workbenches	1	Bin with 30 l capacity
1	Kit with 2 perforated panels/shelves with 1 box-stop edge	2	Angled 2-space spray-can holder
1	Kit with 2 inclined supports with track	1	A4 document-holder pocket
1	Double lamp	1	Roll holder kit with Ø 130 mm roll
1	Wall unit with vasistas flip up opening without lock	3	Unipok tool hook - 30-piece pack
1	LED strip	2	Bar mount for Picking Box bins size 1/2
1	Pair of brackets for fastening wall unit to dual-slotted uprights	1	Kit of 4 Picking Box Air bins size 1
1	Kit of 3 Picking Box Air bins size 2		



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 7016



GALVANISED

COMPONENTS



PERFORATED PANEL/SHELF

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76070008	647	40	304	10x10	38	7035	
FBL76070004	647	40	304	10x10	38	5012	




PERFORATED PANEL/SHELF WITH BOX-STOP EDGE

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76080108	647	40	456	10x10	38	7035	
FBL76080104	647	40	456	10x10	38	5012	



HINGE KIT FOR PERFORATED PANEL

ART.	W mm	D mm	H mm	KG	
FBL7600011F	76	38	64	60	




1. Perforated panel/shelf with box-stop edge
2. Hinge kit for perforated panel



CONFIGURE 

PATENTED*

ART.	W mm	D mm	H mm	 KG	RAL
DYNAMIC1505	1497/1672	780	1983/2383	400	7035+7016

Made up of:

qty.	description	qty.	description
1	Electrically adjustable unassembled workbench	1	Differential magnetic-thermal circuit breaker
1	Cabinet W=500 mm with 1 drawer H=150 mm	1	Schuko 4-socket power strip
1	Cover for cabinet W=500 mm	2	Schuko 2-socket power strip
1	Pair of supports for cabinet	1	Wieland Schuko/FR connection cable
1	Additional power strip frame with end caps and corner elements	1	Pair of L-shaped brackets
1	Kit with 2 dual-slotted uprights for workbenches	1	Joint for plate
1	Pair of supports for perforated panel W=1000 mm	1	Monitor support plate with VESA standard
1	Kit with 2 inclined supports with track	2	Perforated panel/shelf with box-stop edge
1	Double lamp	2	Hinge kit for perforated panel
1	Kit with 3 perforated panels/shelves with 2 box-stop edges	6	Bar mount for Picking Box bins size 1/2
1	Electric perforated panel	2	Kit of 4 Picking Box Air bins size 1
4	Kit of 2 Picking Box Air bins size 3A2	4	Kit of 3 Picking Box Air bins size 2
2	Angled 2-space spray-can holder		



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012




RAL 7035

**UNIPOK
THE BLOCK**

**PIKPAD
IRON TEAM**

**TOOL ORGANIZER
PRO SERIES**





UNIPOK TOOL HOOK - 30-PIECE PACK
Up to 30 tools can be mounted with 1 pack

ART.	pcs per pack	colour
FBLIT009007	30	Black



x30 x30 x30 x15

Unipok is the name of the new **universal hooks** from Fami, which use a screw-in system to allow positioning on perforated boards or wooden panels. Each Unipok hook can be positioned a different angle to mount tools with different shapes and dimensions. Free your imagination and optimise organisation of your wall or workbench-mounted perforated board and wooden board, making sure that everything is always close to hand!




Mounting on wood



Mounting on perforated panel

Unipok makes organisation child's play!

WITH 4 POSITIONS FOR ENDLESS COMBINATIONS!





CREATE THE PERFECT 5S SHADOW TOOL BOX WITH PIKPAD!

With **Pikpad** it is possible to set up a **5S shadow tool box** organised down to the smallest details. The 10x10 square hole bottom of the tray allows for the installation of **Unipok** to create **customised kits** for each job to be performed and, thanks to the practical **tool labels**, it will be possible to identify the type of tool to be housed in each space created.

Pikpad comes complete with a set of 5 sticker sheets:

- 4 sheets with more than 250 tool labels (tool shape + size)
- 1 sheet not pre-cut to make your own stickers

Unipok must be purchased separately



PIKPAD 5S SHADOW TOOL BOX TRAY

ART.	WEH	DEH	W mm	D mm	H mm	RAL	
FBLIT033039	18	18	284	287	50	7016	

[CONFIGURE](#)



PIKPAD 5S SHADOW TOOL BOX TRAY

ART.	WEH	DEH	W mm	D mm	H mm	RAL	
FBLIT034039	27	18	437	287	50	7016	

[CONFIGURE](#)



PIKPAD 5S SHADOW TOOL BOX TRAY

ART.	WEH	DEH	W mm	D mm	H mm	RAL	
FBLIT035039	36	18	590	287	50	7016	

[CONFIGURE](#)



3 ADJUSTMENT POSITIONS

The **patented profile** built into the back of Pikpad allows for the tray to be **adjusted in 3 different positions**. It is therefore possible to adapt the inclination of Pikpad based on the user's height and posture, in order to have everything at hand and work according to the principles of **ergonomics**.




3D
3D
3D

TABLE STAND FOR PIKPAD 5S TRAY SHADOW TOOL BOX

ART.	W mm	D mm	H mm	RAL
PIKPAD001	653	255	198	7016
PIKPAD002	959	255	198	7016
PIKPAD003	1444	255	198	7016

MOBILE ORGANISATION

5S shadow tool boxes make tool organisation mobile because they can be installed on different supports and be moved easily thanks to the side handles. They can be placed on worktops using the special table stand, on the uprights of fitted walls using aluminium bars and inside drawers. In the latter case, it is possible to exponentially increase the internal organisation of drawer units by integrating Pikpad with traditional separation items such as divider boxes and metal dividers.





SWIVEL ARM FOR UPRIGHT WITH JOINT FOR PIKPAD 5S TRAY



ART.	W mm	D mm	H mm	RAL
ERGOWORK015	636/220	663/663	160	7016

ALUMINIUM PROFILE FOR PIKPAD 5S TRAY SHADOW TOOL BOX



ART.	W mm	D mm	H mm
FBLIT036000	647	35	60
FBLIT037000	953	35	60
FBLIT038000	1438	35	60
FBLIT039000	1938	35	60

PAIR OF BRACKETS FOR MOUNTING OF PROFILE ON UPRIGHT



ART.	RAL
FBLIT040039	7016






PAIR OF BRACKETS FOR TABLE STAND

ART.	RAL
FBLIT041039	7016




HOOK WITH TIP


ART.	W mm	D mm	H mm	multiple order qty
FBLIT030000	36	78	42	10
FBLIT031000	36	128	42	10
FBLIT032000	36	178	42	10




1




2




3



4



5



6

The safety lock stops the hook in a horizontal position and prevents it from moving during tool recovery/storage operations.






MOUNTING ON WOOD



MOUNTING ON PERFORATED PANEL



WALL-MOUNTED



FASTENING SET FOR WOOD AND PERFORATED PANEL INCLUDED



SMALL REVERSIBLE SHELF

ART.	W mm	D mm	H mm	RAL	
FBLIT017039	303	317	144	7016	



LARGE REVERSIBLE SHELF

ART.	W mm	D mm	H mm	RAL	
FBLIT016039	455	317	144	7016	





KIT OF 4 PICKING BOX AIR BINS SIZE 1

ART.	overall dimensions			colour
	W mm	D mm	H mm	
FBLIT0600LQ	108	173	76	■
FBLIT060039	108	173	76	■
FBLIT060032	108	173	76	■
FBLIT06001Z	108	173	76	■
FBLIT06002Y	108	173	76	■
FBLIT06004Q	108	173	76	■



KIT OF 3 PICKING BOX AIR BINS SIZE 2

ART.	overall dimensions			colour
	W mm	D mm	H mm	
FBLIT0610LQ	160	234	127	■
FBLIT061039	160	234	127	■
FBLIT061032	160	234	127	■
FBLIT06101Z	160	234	127	■
FBLIT06102Y	160	234	127	■
FBLIT06104Q	160	234	127	■



KIT OF 2 PICKING BOX AIR BINS SIZE 3A2

ART.	overall dimensions			colour
	W mm	D mm	H mm	
FBLIT0270LQ	224	354	147	■
FBLIT027039	224	354	147	■
FBLIT027032	224	354	147	■
FBLIT02701Z	224	354	147	■
FBLIT02702Y	224	354	147	■
FBLIT02704Q	224	354	147	■



BAR MOUNT FOR PICKING BOX BINS SIZE 1/2

ART.	W mm	D mm	H mm	Finish
FBLIT020099	445	14	89	Galvanised



Example of application of the 4 container kit size 1 on coupling bar




Example of application of the 3 container kit size 2 on coupling bar



■
RAL 7016

■
GALVANISED



ANGLED 2-SPACE SILICONE HOLDER

ART.	W mm	D mm	H mm	Hole Ø mm	RAL
FBLIT008039	150	71	96	61	7016



ANGLED 2-SPACE SPRAY-CAN HOLDER

ART.	W mm	D mm	H mm	Hole Ø mm	RAL
FBLIT007039	188	111	172	70	7016



6-SPACE SPRAY-CAN HOLDER

ART.	W mm	D mm	H mm	RAL
FBLIT010039	455	75	167	7016



CONTAINER HOLDER KIT WITH HAND-WIPE CONTAINER

ART.	RAL
FBLIT006039	7016




ROLL HOLDER KIT WITH ROLL Ø=240 MM

ART.	W mm	D mm	H mm	RAL
FBLIT004039	297	275	270	7016



ROLL HOLDER KIT WITH Ø 130 MM ROLL

ART.	W mm	D mm	H mm	RAL
FBLIT003039	257	135	168	7016



REVERSIBLE SANITISER-BOTTLE HOLDER

ART.	W mm	D mm	H mm	RAL
FBLIT002039	113	100	62	7016



GLOVE DISPENSER

ART.	W mm	D mm	H mm	RAL
FBLIT005039	247	81	132	7016



A4 DOCUMENT-HOLDER POCKET

ART.	W mm	D mm	H mm	RAL	
FBLIT001039	365	68	187	7016	



FIRST-AID KIT

ART.	W mm	D mm	H mm		
FBLIT024000	256	90	190		



MOUNT FOR EXTINGUISHER WITH 2 KG FIRE EXTINGUISHER

ART.	W mm	D mm	H mm		
FBLIT023000	115	115	400		



MOUNT FOR CABLES

ART.	W mm	D mm	H mm	RAL	
FBLIT019039	220	95	101	7016	




KIT FOR CONTAINER HOLDER

ART.	Strap L mm	RAL		
FBLIT018039	910	7016		



SCREWDRIVER DRILL HOLDER SHELF

ART.	W mm	D mm	H mm	RAL	
FBLIT049039	152	228	125	7016	



Screwdriver drill holder shelf made in collaboration with:





REVERSIBLE TRAY SHELF

ART.	W mm	D mm	H mm	RAL	
FBLIT015039	455	160	40	7016	



DRILL-BIT HOLDER

ART.	W mm	D mm	H mm	Finish	
FBLIT0260ZZ	155	84	39	Stainless steel	



KIT WITH 10 CONTAINERS

ART.	
FBLIT028000	



MAGNET COMPLETE WITH CLIP AND SCREW - 10-PIECE PACK

ART.	pcs per pack	Ø mm	Finish	
FBL95410000	10	20	Galvanised	



CASE WITH CONTAINERS

ART.	W mm	D mm	H mm	
FBLIT022001	440	350	80	

TOOL CASE HOLDER KIT

ART.	RAL	
FBLIT021039	7016	



MONITOR SUPPORT PLATE WITH BRACKETS

ART.	W mm	D mm	H mm	RAL	
ERGOWORK014	225/129	119/225	225	7016	



BIN WITH 30 L CAPACITY

ART.	W mm	D mm	H mm	L	RAL	
FBLIT025039	387	277	394	30	7016	



WALL UNIT WITH DOOR

ART.	W mm	D mm	H mm	KG	RAL	
FBL8015C000PD	460	250	456	25	7035+7016	
FBL8015C00004	460	250	456	25	5012	



CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7016



GALVANISED



STAINLESS STEEL

ELECTRIC



SUPPORT FOR RESIDUAL CURRENT DEVICE

ART.	W mm	D mm	H mm	RAL
FBLET003039	159	32	92	7016



DIFFERENTIAL MAGNETIC-THERMAL CIRCUIT BREAKER 2P+E 16A, 30mA TYPE A

ART.	W mm	D mm	H mm	colour
FBLET012007	159	59	90	Black



SUPPORT FOR 2-SOCKET POWER STRIP

ART.	W mm	D mm	H mm	RAL
FBLET001039	148	32	92	7016



SUPPORT FOR 4-SOCKET POWER STRIP

ART.	W mm	D mm	H mm	RAL
FBLET002039	249	32	92	7016



2-SOCKET POWER STRIP

ART.	W mm	D mm	H mm	Type of socket	colour
FBLET004007	148	59	46	Schuko	Black
FBLET006007	148	59	46	CH	Black
FBLET008007	148	59	46	GB	Black
FBLET010007	148	59	46	FR	Black



4-SOCKET POWER STRIP

ART.	W mm	D mm	H mm	Type of socket	colour
FBLET005007	248	59	46	Schuko	Black
FBLET007007	248	59	46	CH	Black
FBLET009007	248	59	46	GB	Black
FBLET011007	248	59	46	FR	Black



WIELAND CONNECTION CABLE WITH IN/OUT PLUGS

ART.	W mm	D mm	H mm	colour	
FBLET013007	200	28	13	Black	



WIELAND H-SHAPED DISTRIBUTION BLOCK WITH 2 OUTPUTS

ART.	W mm	D mm	H mm	colour	
FBLET015007	60	35	35	Black	



WIELAND CONNECTION CABLE

ART.	W mm	D mm	H mm	Plug type	colour	
FBLET016007	3000	50	50	Schuko/French	Black	
FBLET017007	3000	50	50	GB	Black	
FBLET018007	3000	50	50	CH	Black	



WIELAND CONNECTION CABLE WITH IN/OUT PLUGS

ART.	W mm	D mm	H mm	colour	
FBLET014007	1500	28	13	Black	





USB DATA PORT

ART.	Ø mm	W mm	H mm	colour
FBLET019007	59	70	54	Black



USB CHARGING PORT

ART.	Ø mm	W mm	H mm	colour
FBLET020007	59	70	54	Black



LAMP W=988 MM WITH BRACKETS FOR FASTENING

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL
IRONTEAM001	988	4000	27	50	5058	7016



LAMP W=1473 MM WITH BRACKETS FOR FASTENING

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL
IRONTEAM002	1473	4000	41	50	7588	7016

LIGHT



SINGLE LAMP

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL
FBL99400008	922	4000	15	50/60	1500	7035
FBL99450008	1407	4000	20	50/60	2000	7035



DOUBLE LAMP

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL
FBL99400108	922	4000	15	50/60	3000	7035
FBL99450108	1407	4000	20	50/60	4000	7035



Example of mounting on overhead rails



Example of mounting on perforated panel using brackets



Example of mounting with magnets



 RAL 7016

 RAL 7035