



# FITTINGS FOR COMMERCIAL VEHICLES

PROFESSIONALITY  
IN MOVEMENT

Catalogue no. C CB gb 048 01

**LOAD  
SECURING**

 **allsafe JUNGFALK**  
Member of allsafe GROUP





**1** **Vertical load restraining bar**  
Order no. F 22 FC V22142 00 00  
height 2055 mm

**2** **Telescopic load restraining bar**  
Order no. F 22 FC V22017 00 00  
height 1550-2050 mm

**3** **Telescopic load restraining bar**  
Order no. F 22 FC V22131 00 00  
height 1250-1750 mm

**4** **Telescopic load restraining bar**  
Order no. F 22 FC V22149 00 00  
height 650-900 mm

**5** **Single stud fitting**  
Order no. F 22 FC V22108 00 00


**6** **Double stud fitting**  
Order no. F 22 FC V22109 00 00

**7** **Ring stud fitting**  
Order no. F 22 FC V22090 00 00


**8** **Plastic end cap for bar series V18029**  
Order no. F 22 FC V22106 00 00



**9** **Support for transversal load restraining bar series V18027**  
Order no. F 22 FC V22143 00 00



**10** **Load restraining belt with clamp**  
Order no. F 22 FC V22136 00 00  
length 2500+500 mm



**11** **Load restraining belt with ratchet**  
Order no. F 22 FC V22124 00 00  
length 2500+500 mm



**12**

**Horizontal aluminium bar for side panels**  
Order no. F 22 FC V18025 05 00 length 500 mm  
Order no. F 22 FC V18025 10 00 length 1000 mm  
Order no. F 22 FC V18025 15 00 length 1500 mm  
Order no. F 22 FC V18025 20 00 length 2000 mm  
Order no. F 22 FC V18025 25 00 length 2500 mm



**13**

**Horizontal aluminium bar**  
Order no. F 22 FC V18029 05 00 length 500 mm  
Order no. F 22 FC V18029 10 00 length 1000 mm  
Order no. F 22 FC V18029 15 00 length 1500 mm  
Order no. F 22 FC V18029 20 00 length 2000 mm  
Order no. F 22 FC V18029 25 00 length 2500 mm  
Order no. F 22 FC V18029 30 00 length 3000 mm  
Order no. F 22 FC V18029 35 00 length 3500 mm  
Order no. F 22 FC V18029 40 00 length 4000 mm  
Order no. F 22 FC V18029 45 00 length 4500 mm



**14**

**Horizontal aluminium bar for insertion for flooring thickness 12 mm**  
Order no. F 22 FC V18028 05 00 length 500 mm  
Order no. F 22 FC V18028 10 00 length 1000 mm  
Order no. F 22 FC V18028 15 00 length 1500 mm  
Order no. F 22 FC V18028 20 00 length 2000 mm  
Order no. F 22 FC V18028 25 00 length 2500 mm  
Order no. F 22 FC V18028 30 00 length 3000 mm  
Order no. F 22 FC V18028 35 00 length 3500 mm  
Order no. F 22 FC V18028 40 00 length 4000 mm  
Order no. F 22 FC V18028 45 00 length 4500 mm



**15**

**Horizontal aluminium bar for vehicle roof**  
Order no. F 22 FC V18030 05 00 length 500 mm  
Order no. F 22 FC V18030 10 00 length 1000 mm  
Order no. F 22 FC V18030 15 00 length 1500 mm  
Order no. F 22 FC V18030 20 00 length 2000 mm  
Order no. F 22 FC V18030 25 00 length 2500 mm  
Order no. F 22 FC V18030 30 00 length 3000 mm  
Order no. F 22 FC V18030 35 00 length 3500 mm  
Order no. F 22 FC V18030 40 00 length 4000 mm



**16**

**Transversal aluminium bar**  
Order no. F 22 FC V18027 05 00 length 500 mm  
Order no. F 22 FC V18027 10 00 length 1000 mm  
Order no. F 22 FC V18027 15 00 length 1500 mm  
Order no. F 22 FC V18027 20 00 length 2000 mm  
Order no. F 22 FC V18027 25 00 length 2500 mm  
Order no. F 22 FC V18027 30 00 length 3000 mm

## SERIES STRONG



\*  
**17** **Load restraining belt with ratchet**  
Order no. F 22 FC V22147 00 00  
length 3000+600 mm



\*  
**18** **Horizontal bar of galvanized steel**  
Order no. F 22 FC V99156 10 00 length 1000 mm  
Order no. F 22 FC V99156 15 00 length 1500 mm  
Order no. F 22 FC V99156 20 00 length 2000 mm

## SERIES STANDARD



**19** **Load restraining ring**  
Order no. F 22 VT V22024 00 99



\* **20** **Load restraining ring**  
Order no. F 22 VT V22037 00 07



**21** **Support for load restraining ring**  
Order no. F 22 RC 000084 00 07  
package unit 50 pcs - for flooring 9 mm  
support height 9 mm  
Order no. F 22 RC 000083 00 07  
package unit 50 pcs - for flooring 9/12 mm  
support height 12 mm  
Order no. F 22 RC 000082 00 07  
package unit 50 pcs - for flooring 12 mm  
support height 16 mm



\* **22** **Support for load restraining ring**  
Order no. F 22 RC 000094 00 07  
package unit 50 pcs - for flooring 9/12 mm  
support height 12 mm  
Order no. F 22 RC 000093 00 07  
package unit 50 pcs - for flooring 12 mm  
support height 16 mm



\* **23** **Support for load restraining ring**  
Order no. F 22 RC 000112 00 07  
package unit 20 pcs - for flooring 9/12 mm  
support height 12 mm  
Order no. F 22 RC 000111 00 07  
package unit 20 pcs - for flooring 12 mm  
support height 16 mm



\*  
**24** **Load restraining belt with ratchet**  
Order no. F 22 FC V22148 00 00  
length 4500+500 mm



EXAMPLE 1

12

15

8

13

Example of a system using fittings of the SERIES MEDIUM

12

15

8

13



To learn more see the video on:  
[www.storevan.com](http://www.storevan.com)

EXAMPLE 2

12

16


9

10

8

13

Example of a system using fittings of the SERIES MEDIUM



15



1

2

4

19

21

To learn more see the video on:  
[www.storevan.com](http://www.storevan.com)

EXAMPLE **3**

12

2

16

19

21

Example of a system using fittings of the SERIES MEDIUM






To learn more see the video on:  
[www.storevan.com](http://www.storevan.com)

EXAMPLE 4



Example of a system using fittings of the SERIES MEDIUM



To learn more see the video on:  
[www.storevan.com](http://www.storevan.com)

2

13

19

21




To learn more see the video on:  
[www.storevan.com](http://www.storevan.com)

EXAMPLE 6



Example of a system using fittings of the SERIES MEDIUM



To learn more see the video on:  
[www.storevan.com](http://www.storevan.com)



[www.storevan.com](http://www.storevan.com)

**PROFESSIONALITY  
IN MOVEMENT**

Steel production plant in  
Rossano Veneto



[www.famispaspa.com](http://www.famispaspa.com)  
[www.storevan.com](http://www.storevan.com)

